Community Profile and Livelihood Baseline Assesment

Rose Hall St. Vincent and the Grenadines















Acknowledgements

The Government of St. Vincent and the Grenadines would like to thank the funding project partners specifically the European Union (EU) and the Caribbean Development Bank (CDB) – Caribbean Disaster Risk Reduction Fund (CDRRF). Thanks also to the other contributing partners including the Food and Agriculture Organization of the United Nations (FAO) and Social Development Commission (SDC) of Jamaica and Social Development Department Livelihood Based Assessment (LBA) participants from the British Virgin Islands (BVI).

The success of this community profile and Livelihood Baseline Assessment (LBA) can only be attributed to the many individuals who contributed their valuable input toward the preparation of the document. Many thanks also to the residents as primary stakeholders within the community of Rose Hall for their support, encouragement, and constructive criticisms in making this profile a success. Also, the community leaders who participated in the focus group discussion and accompanied the facilitators are the engagement the wider community in discussions across various locations.

Special thanks, to the Ministry of National Mobilisation, Social Development, Local Government, Gender Affairs, Family Affairs, Persons with Disabilities and Non-Governmental Organisations and its hard-working team of officers who worked tirelessly under adverse weather conditions to gather the primary data and complied the draft documents without which the profile development would not have been possible. It is also imperative to note the support from the Ministry of Agriculture, Forestry, Fisheries, Rural Transformation, the National Emergency Management Organisation as well as the Basic Needs Trust Fund office.

Suggested citation: CDB (2022). *Preparation of Revised Livelihood Baseline Assessment Report: Rose Hall, St. Vincent and the Grenadines.* Community Disaster Risk Reduction Fund. Caribbean Development Bank. St. Michael, Barbados.

Prepared by: Donovan Campbell and Marc James, Department of Geography & Geology, The University of the West Indies, Kingston, Jamaica.

Executive Summary

Pre-disaster information is always a key resource in post disaster response (which includes post disaster assessments). When disaster strikes, it is critical to know how many people are likely to have been affected by the event and how. This requires knowledge of the demographic breakdown of the population and the vulnerability of different people to the disaster. Vulnerability will determine how badly they will be affected, how quickly they can be expected to recover and what kinds of assistance they are likely to need.

In many instances however, pre-disaster planning focuses on immediate response and action to protect human life and infrastructure, but without giving sufficient attention to damage and loss to livelihoods. Yet in the post-disaster period, if people are to recover, they need to restore their livelihoods as quickly as possible. This can only happen if detailed and quantitative information has been collected in advance of potential disasters so that livelihood based contingency plans, can be created and planned for.

In 2019, the Livelihood Based Assessment and Contingency Planning approach was applied in St. Vincent and the Grenadines to provide pre-disaster livelihood information for eleven communities involved in the Volcano Ready Communities in St. Vincent and the Grenadines (VRC in SVG) project.

Rose Hall is one of the communities that was included in this process and this report provides the Livelihood Baseline Assessment (LBA) information that resulted from the assessment process.

Rose Hall is located 1142 feet above sea level in the parish of St. David and is the highest settlement in Saint Vincent and the Grenadines. It is known for organic farming with its fertile soils and close proximity to the La Soufriere Volcano. The community also boasts a strong cultural heritage and is the home of the Rose Hall Drummers.

According to the 2012 Population and Housing Census, the community of Rose Hall had an estimated two hundred and eighty-five (285) households with a population of nine hundred and fifty-four (954). Data relating to the wider Chateaubelair Census Division is used as an indication of the social realities of the community. These are discussed in detail in Chapter 3.

Based on an earlier conducted Community Engagement Survey funded by the project in September 2018, community development activities are seen as important by a majority of residents of the community but only few play active leadership roles through involvement in an organisation. The vision, mission and objectives of the community groups in Rose Hall and other results pertaining to the survey are outlined in Chapter 4. Chapter 4 also provides an overview of the governance structure of the community.

Chapter 5 highlights levels of employment and the occupational groups in the Chateaubelair Census Division, as an indication of the economic profile of the community. Chapters 1 through 5 form the Community Profile for Chateaubelair.

Chapter 6 is a profile of the main hazards that impact the community most directly while Chapter 7 outlines the impact of the April 2021 volcanic eruption.

In Chapter 8, the outcome of the Livelihood Baseline Assessment is detailed and includes a profile of community livelihoods and resources. The focus is primarily on agricultural livelihoods. Chapter 9 looks at the type of coping strategies that are employed to deal with hazard impacts on agricultural livelihoods.

Chapter 10 outlines the key response typologies and contingency measures that should be put in place in the event of any disaster.

The Annexes present the damage and loss cost estimates for the agricultural assets, should a disaster occur, as well as the sources of information that were consulted.

Table of Contents



1 INTRODUCTION

- 1.1 The Need for a Livelihood Baseline and Contingency Plan
- 1.2 Objectives of the LBA Process
- 1.3 The LBA process in St. Vincent & the Grenadines



2 METHODOLOGY

2.1 Primary sources

1

2

2

3

21

22

22

2.2 Secondary sources



3 DESCRIPTION OF 6 COMMUNITY

3.1	Locational data	7
3.2	History/Historical development	7
3.3	Nature of Community (Culture,	8
	Traditions)	
3.4	Natural Resources (Rivers, forests,	8
	farming lands)	
3.5	Land Use and Distribution – Rose Hall	11
3.6	Population and age structure	11
3.7	Household size and household heads	13
3.8	Household Heads	14
3.9	Educational Attainment	15
3.10	Housing Quality	16
3.11	Health & Sanitation	18
3.12	Transportation & Road Network	20
3.13	Social Services	20
3.14	Public Infrastructure (Condition of	20

roads, bridges, drains; lighting, etc.)



4 GOVERNANCE PROFILE

- 4.1 Political Directorate
- 4.2 Social/Civic Organisations
- 4.3Methods of Community Engagement224.4Crime, public safety and perception of24
- community issues



5 ECONOMIC PROFILE

5.1 Financial Services

27

25

4

5

5



6 HAZARD AND RISK PROFILE

6.1	Hurricanes	29
		20
6.2	Flooding	29
6.3	Landslides, Storm Surge and Drought	30
6.4	Earthquakes	32
6.5	Volcanic Hazards	33
6.6	Hazard Ranking in Rose Hall,	37
	Chateabelair Division	
6.7	Volcano Ready Project and Reducing	39
	Vulnerability	



7 THE 2021 VOLCANIC ERUPTION

28

59

7.1 7.2 7.3	Crop Loss Apiculture Livestock	49 49 49
7.4	Fisheries	51
7.5	Forestry	52
7.6	Agriculture Infrastructure	53
7.7	Vulnerable Groups	55
7.8	Links/interaction with COVID-19	55

42

61



8 LIVELIHOOD 56 ASSESSMENT AND CONTINGENCY PLANNING

8.1	Livelihood Assets	57
8.2	Seasonal Calendars	57



9 COPING STRATEGIES



10 RESPONSE AND RECOVERY TYPOLOGIES

10.1	Immediate Needs (next 3 to 6	62
	months)	
10.2	Medium to long term needs (next 6	62
	to 12 months)	
10.3	Responses for Additional Types of	62
	Hazards	



Annx 1	Ministry of Agriculture, Industry and Labour Compensation List for Agricultural Crops and Livestock (2019)	65
Annx 2	Ministry of National Mobilisation -	68
	Services Offered under the Social	
	Assistance Programme (XCD\$)	
Annx 3	Ministry of Agriculture, Industry	69
	and Labour – Compensation List	
	for Agricultural and Forestry Crops	
Annx 4	Cost of Production	72
Annx 5	References	75

Acronyms

BMC	Borrowing Member Countries		
BVI	British Virgin Islands		
CARDI	Caribbean Agricultural Research & Development Institute		
CARIFORUM	Caribbean Forum		
СВО	Community Based Organisation		
сс	Climate Change		
CCA	Climate Change Adaptation		
CCR	Community Climate Resilience		
CCRIF	Caribbean Catastrophe Risk Insurance Facility		
CCRS	Community Climate Resilience Specialist		
CCVA	Community Climate Vulnerability Assessment		
CD	Census Division		
CDO	Community Development Organisation		
CDB	Caribbean Development Bank		
CDERA	Caribbean Disaster Emergency Response Agency		
GDP	Gross Domestic Product		
CDRRF	Community Disaster Risk Reduction Fund		
CDS	Community Development Specialist (CDRRF)		
CDS	Community Development Supervisor (SVG)		
CES	Community Engagement Survey		
CEWS	Community Early Warning System		
CHARIM	Caribbean Handbook on Risk Information Management		
СР	Community Profile		
CPA	Country Poverty Assessment		
CS	Climate Smart		
CVA	Climate Vulnerability Assessment		
CWSA	Central Water and Sewerage Authority		
DDC	District Disaster Committees		
DaLA	Damage and Loss Assessment		
DLA	Detailed Livelihood Assessment		
DRM	Disaster Risk Management		
DRR	Disaster Risk Reduction		
ECLAC	Economic Commission for Latin America and the Caribbean		
ED	Enumeration Division		
EU	European Union		
EWS	Early Warning System		
FAO	Food and Agriculture Organization of the United Nations		
FGD	Focus Group Discussion		
GAD	Gender Affairs Division		
GBV	Gender Based Violence		
GEF	Global Environmental Fund		
GIS	Geographic Information System		
GOSVG	Government of St. Vincent and the Grenadines		

GPS	Global Positioning System
HH	Household
HIV/AIDS	Human Immunodeficiency Virus/Acquired Immunodeficiency Syndrome
lica	International Institute for Cooperation on Agriculture
ILIA	Initial Livelihood Impact Assessment
ILO	International Labor Organization
IWCAM	Integrated Watersheds and Coastal Areas Management project
J-CCCP	Japan-Caribbean Climate Change Program
LAS	Livelihood Assessment Specialist
LAT	Livelihood Assessment Toolkit
LB	Livelihood Baseline Assessment
LGBTQ	Lesbian, Gay, Bi-Sexual, Trans, Queer
LPG	Liquified Petroleum Gas
M&E	Monitoring and Evaluation
MMI	Modified Mercalli Intensity
MoA	Ministry of Agriculture
MoNM	Ministry of National Mobilisation
NDVI	National Difference Vegetation Index
NEMO	National Emergency Management Organization
NGO	Non-Governmental Organization
NVEP	National Volcanic Emergency Plan
OECS	Organisation of Eastern Caribbean States
PAD	Project Appraisal Document
PM	Project Manager
PVC	Polyvinyl Chloride
RC	Red Cross
RCCVA	Rapid Community Climate Vulnerability Assessment
RDVRP	Regional Disaster Vulnerability and Reduction Project
RR	Risk Reduction
SAP	Social Assistance Programme
SD	Sustainable Development
SDC	Social Development Commission
SDGs	Sustainable Development Goals
SIDS	Small Island Developing States
SMART	Specific, Measurable, Achievable, Realistic, Time-bound
SRC	Seismic Research Centre
STREVA	Strengthening Resilience in Volcanic Areas
SVG	St. Vincent and the Grenadines
UN	United Nations
UNFPA	United Nations Population Fund
UNISR	United Nations Office for Disaster Risk Reduction
UWI	University of the West Indies
VCA	Vulnerability and Capacity Assessment
VINLEC	St. Vincent Electricity Company
VRCinSVG	Volcano Ready Communities in St. Vincent and the Grenadines
VRCP	Volcano Ready Communities Project
WAD	Women's Affairs Division



1.1 THE NEED FOR A LIVELIHOOD BASELINE AND CONTINGENCY

Pre-disaster information is always a key resource in post disaster response (which includes post disaster assessments). When disaster strikes, it is critical to know how many people are likely to have been affected and how. This requires knowledge of the demographic breakdown of the population and the vulnerability of different people to the disaster. Vulnerability will determine how badly they will be affected, how quickly they can be expected to recover and what kinds of assistance they are likely to need.

In many instances however, pre-disaster planning focuses on immediate response and action to protect human life and infrastructure, but without giving sufficient attention to damage and loss to livelihoods. Yet in the post-disaster period, if people are to recover, they need to restore their livelihoods as quickly as possible. This can only happen if detailed and quantitative information has been collected in advance of potential disasters so that livelihood based contingency plans, can be created and planned for.

In 2019, the Community Disaster Risk Reduction Fund (CDRRF) of the Caribbean Development Bank (CDB) partnered with the Food and Agriculture organization of the United Nations (FAO) to introduce Borrowing Member Countries (BMC) in the region to the Livelihood Baseline Assessment (LBA) process which was pioneered by FAO and the International Labour Organisation (ILO).

The Livelihood Assessment Tool-kit¹ provides welldefined guidelines for the preparation of baselines that can be used to:

- analyse and respond to the impacts of disasters on livelihoods in any given country;
- develop and update contingency plans.

In March 2019, a one-week training and capacity building session was held in Belize and introduced persons from Belize, British Virgin Islands, Jamaica and St. Vincent and the Grenadines how to use the LBA methodology for their own planning purposes.

1.2 OBJECTIVES OF THE LBA PROCESS

The objectives of the LBA approach are:

- a) To make it possible for countries to compare the livelihood context and activities for residents in the communities and local economies before and after a disaster
- b) To establish a robust basis for making estimates of the impact of disasters on livelihoods, in particular vulnerable groups, that can feed into various appeals for aid required for reconstruction and rehabilitation of the sector(s) affected.
- c) To provide a reliable basis for immediate postdisaster assessments including the initial Livelihood Impact Appraisal (Volume 3 of the Toolkit) and the more in-depth detailed Livelihood Assessment of the impact of disasters on livelihoods and identify opportunities and recovery capacities at the local, community and household levels (Volume 4).

¹ The Livelihood Assessment Tool-kit was published by the Food and Agriculture Organisation of the United Nations and the International Labour Organisation in April 2009.

1.3 THE LBA PROCESS IN ST. VINCENT & THE GRENADINES

Following the February 2019 capacity building, a total of eleven (11) Community Profiles and Livelihood Assessment reports were prepared in St. Vincent & the Grenadines. These communities included:

- 1. Colonaire
- 2. Chateaubelair
- 3. Rose Hall
- 4. Fitz Hughes
- 5. Fancy
- 6. Owia

- 7. Magum and Overland
- 8. Park Hill
- 9. Sandy Bay
- 10. South Rivers and
- 11. Spring Village

This report presents the findings that resulted from the Livelihood Baseline Assessment (LBA) and Community Profile (CP) process that was conducted for the community of **Rose Hall**, St. Vincent & and the Grenadines.





The Community Profile (CP) and Livelihood Baseline Assessment (LBA) for Rose Hall was compiled in October 2019 using both qualitative and quantitative data collection methods. For the community profile sections, data were gathered from government reports and data-sets made available to the public.

The LBA component was compiled using the Livelihood Assessment Toolkit developed by the International Labour Organisation (ILO) and the Food and Agriculture Organization of the United Nations (FAO) and which provided guidelines on documenting the exiting vulnerabilities of each community, the main livelihood activities, the projected impact of various hazards on livelihoods and contingency planning. Community representatives and external stakeholders also provided reviews and validation of the information presented in the document.



Field work for the livelihood assessment was conducted in October 2019 and included a focus group discussion, a transect walk for field observations and a livelihood baseline survey Responses from focus group discussion were used to generate the following tools:

- Livelihood profile
- Hazard calendar
- Seasonal calendar
- Coping Strategies Inventory
- Response Typology Matrix

Responses from the livelihood baseline assessment survey were analysed and presented separately. Data were collected during the hours of 8 a.m. and 4 p.m. October 1st, 2019 using a convenience sample of residents of the community. Thirty-Three (33) persons participated in the survey in Rose Hall, twenty-four (24) females and eight (8) males. Data were collected and analysed using the KOBO Toolbox² application. A focus Group Discussion was conducted on the same day at the Fitz-Hughes Government School. Six (6) residents of the community who were farmers participated in the discussion. In addition to the survey and focus group discussion, primary data from the 2018 Community Engagement Survey were used in development of the community profiles. Data for this report were analysed using Excel and SPSS.



Secondary data were reviewed in order to provide the environmental, social and economic context of the community. Sources reviewed included the 2012 Population and Housing Census, 2007/2008 Survey of Living Conditions and Hazards maps provided by the National Emergency Management Organisation (NEMO) and the Physical Planning Unit.

Additionally, secondary data were used from the 2018 Community Engagement Survey (CES) and qualitative information was also obtained from both the preliminary Rapid Community Climate Vulnerability Assessment (RCCVA) that was conducted in 2016 and the detailed RCCVA that was completed in 2020.

² KoBo Toolbox is a free open-source tool for mobile data collection. It allows users to collect data in the field using mobile devices such as mobile phones or tablets, as well as with paper or computers. It allows for faster data collection because data does not need to be transcribed from paper to computers before it can be analysed. Some analyses can be applied within minutes of the data being collected It is more accurate. Enumeration errors are minimised because of the data validation that can occur in real time as data is collected. Transcription errors are entirely eliminated It is optimised for humanitarian work. It also works offline and is easy to use (requires no technical knowledge to manage and enumerators can be trained within minutes. If all else fails, paper forms can be used as a backup and integrated with other data. (Source: https://www.humanitarianresponse.info/sites/www. humanitarianresponse.info/files/documents/files/unhcr_kobo_guidelines_ may2016.pdf)

3 Description of the Community



Rose Hall is located 1142 feet above sea level in the parish of St. David and is the highest settlement in Saint Vincent and the Grenadines. It is a land locked community which is uniquely situated for taking photographs of the La Soufriere Volcano with a possible view of the neighbouring island of St. Lucia across the ocean on a clear day.

3.2 HISTORY/HISTORICAL DEVELOPMENT

The community of Rose Hall boasts a variety of village names such as "Yard Road" which is where the slave owners lived and slaves used to gather before being dispatched for daily work. Rose Hall also includes road shortcuts to each nearby surrounding village. It also has a strong communal spirit and its hospitality knows no boundaries.

Figure 1: Map of the community of Rose hall (Source: GIS Unit, Physical Planning Division, Ministry of Transportation, Works, Lands and Physical Planning, Kingstown)




Figure 2: Arial Satellite Map of Rose Hall SVG



3.3 NATURE OF COMMUNITY (CULTURE, TRADITIONS)

Rose Hall is famous for Organic farming and boasts that "any plant in the hemisphere grows perfectly there." It is also strong in cultural heritage and communal spirit and is home to the Rose Hall Drummers.

The river is a main social central and a source of recreation, where persons met to wash, bathe, and cook food and share amongst themselves. Some of the villagers take a moonlight walk on the back road to Chateaubelair which is reportedly very relaxing. One can enjoy the sound of the insects and see the light reflected off of the leaves of the lush vegetation. Traditionally, it's said that once a couple is dating they would walk this path, otherwise "if you don't take your lady on this walk you will lose her".



SVG receives an average annual rainfall of 2190 mm, with two-thirds or 70% of that amount falling during the rainy season - June to November (Joslyn, 2008). Natural resources found in the community are mainly rivers and farmlands. Figure 3: Rivers in St. Vincent (Source: GEF-IWCAM Proposal, No Date).





Figure 4: Rainfall Map of the Island of St. Vincent (Source: Joyette, 2008).






Figure 5: Soil erosion map of St. Vincent. (Source; Government of SVG 2011.)

When the LBA was conducted, team members observed that Rose Hall did not appear to have poor drains. It was also noted that there were quite a few waste disposal bins throughout the community, and as such, no incidences of improper waste disposal were observed outside of the designated receptacles. Respondents reported that there was a regular garbage pick-up on an almost daily basis.



Figure 6: The Sixteen (16) Watersheds of Saint Vincent (Source: GEF-IWCAM, No Date).

Figure 7: Land Use and Distribution (Source: Westen, C.J. and Sijmons, Koert. 2016)







Figure 7 illustrates that lands of Rose Hall are predominantly agricultural consisting mainly of forested areas and some built-up areas. The built-up or residential areas are mainly concentrated along the roadways in the community. There are pockets of lands comprised of pastures, cultivated lands and herbaceous agricultural lands. There are no areas of woody agricultural (cocoa, coconut, banana) lands as in the case of the interior of Fitz Hughes.

3.6 POPULATION AND AGE STRUCTURE

Rose Hall is located in the administrative division of Chateaubelair. The socio-demographic information used for this section of the report came from the 2012 Population and Housing Census reported that Rose Hall had an estimated population of two hundred and eighty-five (285) households with a population of nine hundred and fifty-four (954). The population of the entire administrative division of Chateaubelair was five thousand, seven hundred and fifty-six (5,756). This figure was inclusive of other communities such as Coulls Hill, Troumaca, Rose Bank, Chateaubelair, Fitz Hughes, Petit Bordel and Richmond. The sex disaggregated data for the population are discussed below.

District	Number of Households	Males	Females	Population
Coulls Hill	76	109	102	211
Troumaca	177	297	252	549
Rose Hall	285	512	442	954
Rose Bank	186	415	339	754
Chateaubelair	458	746	675	1421
Fitz Hughes	298	568	503	1071
Petit Bordel	186	379	394	773
Richmond	3	11	12	23
Total	1,669	3037	2719	5,756

 Table 1: Estimated Population by District (Source: 2012 Population and Housing Census)

The population in Rose Hall community was comprised of an estimated five hundred and twelve (512) males and four hundred and forty two (442) females. The male to female ratio in the community was 1.16, representing marginally more males than females and is consistent with a male to female ratio in the wider population of 1.05. Population and sex were the only variables for which data could be disaggregated for the Rose Hall community.

Examination of the population in the administrative division of Chateaubelair revealed that, much like the wider population of St. Vincent and the Grenadines, there was a large proportion of persons in younger age categories. Twenty-seven point six (27.6%) percent of the population in the division was under the age of 15

and 46.3% under the age of 24. The elderly population, above 65 years of age, was 8.8% and the percentage of the working age population (15-64 years) was 63.6%.

Age Dependency ratio, which establishes the number of dependents (children and persons 65 and over) per 100 persons in the working age population (14-65) was calculated at 57, marginally higher than the dependency ratio of 51 across St. Vincent and the Grenadines.


Age Cohort (years)	% Males	% Females	% Total
0-4	4.8	4.7	9.5
5-9	4.3	4.2	8.4
10-14	5.1	4.5	9.7
15-19	5.5	4.6	10.1
20-24	4.2	4.4	8.6
25-29	3.4	3.2	6.7
30-34	3.4	2.8	6.3
35-39	2.9	2.6	5.5
40-44	4.2	3.2	7.4
45-49	4.0	2.8	6.8
50-54	3.2	2.6	5.8
55-59	2.0	1.7	3.6
60-64	1.4	1.4	2.8
65+	4.5	4.3	8.8
Total	53.0	47.0	100.0

Table 2: Distribution of Population by Age and Sex,Chateaublelair Division (Source: 2012 Populationand Housing Census)

Table 3: Distribution of Households by size (CensusDivision) (Source: 2012 Population and HousingCensus)

Household size	% of households, Chateaubelair (CD)	% of household nationally
1	26.5	26.3
2	15.6	19.3
3	14.0	17.6
4	15.2	14.9
5	10.6	10.0
6	7.6	5.4
7	4.7	2.9
8+	5.9	3.5
Average household size	3.4	3.0

Figure 8: Distribution of Households by Size, Chateaubelair Division



3.7 HOUSEHOLD SIZE AND HOUSEHOLD HEADS

Average household size within the administrative division of Chateaubelair, of which the community of Rose Hall is a part, was 3.4 persons per household, marginally higher than the national average of 3.0 persons per household. Household size in the Chateaubelair division was among the largest in the country, second only to Sandy Bay which had an average size of 3.9 persons. Single person households were the most common (26.5%) followed by two and four-person households (15.2 and 15.6% respectively).



Sixty-four point seven percent (64.7%) of household heads in the division were male and 35.3% female in Rose Hall. The ratio of male to female headed households in Chateaubelair was 1.8, one of the highest in all divisions.


The average age of household heads in the division was 52 years. Only 6.7% were under 30 years, 30.4% were in the 30-44 age range, and 40.4% were between the ages 45 and 64. A further 22.5% of household heads were over the age of 65.

Table 4: Distribution of Household Heads byAge Group, Chateaubelair Division (Source: 2012Population and Housing Census)

Age category	%
Under 15	-
15 -19	0.6%
20 - 24	1.9%
25 - 29	4.2%
30 - 34	6.6%
35 - 39	8.2%
40 - 44	15.5%
45 - 49	13.1%
50 - 54	12.9%
55 - 59	7.8%
60 - 64	6.6%
65+	22.5%
Average age of E2 years	

Average age of 52 years

Figure 9: Household Heads by Sex, Chateaubelair Division



Twenty-one point one percent (21.1%) of household heads state they were married and living with spouse and another 22.1% were living in a common law union.

Table 5: Union Status of Heads of Household inChateaubelair Division (Source: 2012 Populationand Housing Census)

Age category	%
Never had a spouse or common- law partner	13.0
Married and living with spouse	21.1
Common Law Union	22.1
Visiting partner	10.1
Not in a Union	32.1
Not stated	1.6



In 2012, approximately 27.6% per of the population of the Chateaubelair division were enrolled in full or parttime education. Institution types ranged from nursery to tertiary and adult learning institutions. The Rose Hall Primary school and Rose Hall Preschool are the only educational institutions in the community. For access to secondary education, students journey to Petit Bordel Secondary or Troumaca Secondary in nearby communities.


Table 7: Enrolment at schools in proximity to Rose Hall (Source: St. Vincent and the Grenadines Educational Statistical Digest: 2018-2019)

Туре	Description	Enrolment	No. of Teachers	Child/Teacher Ratio
Early Childhood	Rose Hall Preschool	20	2	10
Primary	Rose Hall Government	105	9	12
Secondary	Petit Bordel Secondary School	212	22	10
	Troumaca Secondary School	260	20	13

3.9.1. ACHIEVEMENT

Data from the 2012 Housing and Population Census show a high-level completion rate of primary education for adults 18 and over in the division (92.7%). Completion rates for secondary and tertiary education however were much lower at 45.8% and 1.6% respectively. There were higher levels of achievement among younger age groups, and achievement was higher in young females than in their male counterparts.

Among household heads in the division there was an 89.9% completion rate for primary education, 30.8% secondary education and 1.8% completion rate for tertiary education.



Tertiary education





Figure 10: Educational Achievement by Sex and Age Group, Chateaubelair Division

Figure 11: Educational Achievement among House Hold Heads, Chateaubelair




3.10 HOUSING QUALITY

The majority of homes in the Rose Hall are constructed from concrete (bricks), though a small number use wood. Census data show that in the wider administrative division 86.3% of homes are constructed of concrete, stone, blocks or bricks and 12.4% from wood only or wood mixed with galvanize or concrete. A small proportion (1.3%) were construction by Wattle and Daube. Compared with all the other divisions, Chateaubelair Division had the second highest proportion of homes constructed using concrete/ blocks and also the lowest proportion of homes constructed using wood.



3.10.1. BEDROOM FACILITIES

Houses in the division had an average of 3.2 bedrooms and larger households, on average had a higher number of bedrooms. Single person households contained, on average, 2.7 bedrooms and households with eight or more persons, had an average of 3.9 bedrooms. **Figure 13:** Average Number of Bedrooms by Household Size, Chateaubelair Division




3.10.2. HOUSING AND LAND TENURE

The majority of households in the division (84.9%) owned their homes, higher than the national average of 79% homeowners. Another 14.3% of households rented or leased their homes (including those in rent-free arrangements) compared to 20% households renting nationally. Fewer than 1% occupied their homes through capture (or squatting).

With regard to land tenure, 69.7% of households owned the lands they occupied and 17.5% occupied via rent arrangements. A further 10.5% occupied lands through capture or squatting.

Figure 14: Housing and Land Tenure, Chateaubelair Division





There is currently one health facility in Rose Hall which is the Rose Hall Health Centre. However, the condition of the building can be considered poor with it being reported that the roof is in such poor condition that it leaks in times of heavy rainfall. It was also noted that the Nurses' Quarters on the top floor are virtually uninhabitable due to the amount of bat droppings



present. It was further noted that there are times when bat droppings fall into the patient waiting area. It was also observed that the building is very hot and stuffy, with no cooling implements present. It was also noted that upon closer examination of the ceiling, that water track marks were very visible.

A total of 1,334 persons in the wider Chateaubelair Division reported at least one health condition in the 2012, representing 23.2% of the administrative population. Three hundred and forty-seven (347) persons (6.0%), reported suffering with two or more illnesses. Hypertension/High Blood Pressure was the most commonly reported illness, with a total of 598 cases or 10.4% of the administrative population. Asthma (300 cases), arthritis (276) and diabetes (269) were also commonly reported affecting 5.2%, 4.8% and 4.7% of the population respectively. Health conditions were more prevalent among household heads with 36.4% reporting at least one illness and 12.9% two or more illnesses.





Figure 15: Health conditions among population and Household Heads

3.11.2. SANITATION


Approximately 94.9% of households in the Chateaubelair division access water through public sources. For 73.1% public sourced water is piped into dwelling, for 15.2% piped into yard and 6.6% access water through a public standpipe. Another 5.1% of households access water through private or unstated sources.

Figure 16: Domestic water source - Chateaubelair Division




According to the 2012 Housing and Population Census only 56.0% of households in the Chateaubelair division had flush toilets facilities (WC) either linked to sewers or sceptic tanks. Approximately 6.2% used ventilated pit latrines and 32.3% used un-ventilated pit latrines. Chateaubelair had the lowest concentration of flush toilets among all division on mainland St. Vincent and the highest concentration of non-ventilated pit latrines.

Figure 17: Toilet Facilities, Chateaubelair Division



Up to 95.6% of households in the division dispose of their garbage through the public collection system. Fewer than 0.5% use private collection system and the remaining 3.9% use methods such as land dumping, burning, burying or composting.

Figure 18: Garbage Disposal, Chateaubelair





In the hours that the team was present in Rose Hall, it was observed that there was only one van that came into the community. It was also observed that there is one road in and out of the community, with there being about three roads leading to different areas of the community.



SOCIAL SERVICES

The Social Services present in the community are schools, with two schools present, one of which is a pre-school (Rose Hall Early Childhood Centre); and a primary school (the Rose Hall Government School). The primary school is around sixty years (60) and currently houses ninety-seven (97) students.

There are also three (3) churches present in the community (Rose Hall Methodist; Rose Hall Seven Day Adventist; and Rose Hall New Testament Church of God). There is also one Community Centre that is fairly good condition, as well as a very small Police Station that also doubles as the Post Office. This can be seen in the Table 9.

3.14 **PUBLIC INFRASTRUCTURE** (CONDITION OF ROADS, **BRIDGES, DRAINS; LIGHTING,** ETC.)

During the LBA process, it was observed that the roads tended to be in good condition. However, some respondents did not feel the roads were in that good condition. The team assumed that what those particular respondents were commenting on were the farm roads.

Table 9: Social Services in Rose Hall (Source: LBA Assessment)

Туре	Amount	Name	Condition
Schools	Two	 Rose Hall Government (Primary School) Rose Hall Early Childhood Centre (Pre-School) 	Mainly good Housed in Community Centre
Churches	Three	 Rose Hall Methodist Church Rose Hall Seven Days Adventist Church Rose Hall New Testament Church of God 	Fair Good Good
Community Centre	One	Rose Hall Community Centre	Good
Post Office	One		Housed in Police Station
Police Station	One	Rose Hall Police Station	Fairly Small, but in good condition

4 Governance Profile





North Leeward Parliamentary Representative: Carlos James, Esq. (November 2020 to present)

.2 SOCIAL/CIVIC ORGANISATIONS

Table 10 below lists the various social and civil society organisations that exist in Rose Hall.

Table 10: Social/Civic Organization Listing

Name of CBO	Contact Person	Status
Rose Hall Sports and Cultural Organisation Youth Group	President	Active – Vision: A belief that a shared tradition can drive social change for members through effective and inclusive cultural programmes that can bring about awareness of the cultural traditions in the community Mission: To enhance and educate the community through committed partnership that promote cultural awareness which would ensure community culture is kept alive
Rose Hall Community Working Group		
Rose Hall Drummers		
Rose Hall Farmers' Co- operative Society Ltd		Active

4.3 METHODS OF COMMUNITY ENGAGEMENT

The CDRRF Individual Community Engagement Survey (CES) was conducted in St. Vincent and the Grenadines in collaboration with the Seismic Research Centre of the University of the West Indies and the Ministry of National Mobilisation, September 17th – 25th, 2018. The survey was conducted as part of the Volcano-Ready Communities Project as a precursor to community-based disaster risk reduction initiatives. The purpose of the survey was to gather feedback on the community engagement needs and preferences of select groups of residents in each community. During the implementation of the CDRRF sub-projects, limited inclusion and participation of community residents in project activities resulted from the consistent use of community meetings as a main engagement strategy. It was found, that women, youths, disabled and the elderly are often excluded due to inconvenient times, days and location of community discussions. The survey therefore seeks to identify the most appropriate engagement strategies to secure the involvement of the different groups of residents in these interventions.

The survey was conducted in ten (10) communities and convenience sampling was employed. A total of 50 persons were interviewed in each community. Data was collected during the hours of 8am to 4pm. Findings were presented to members of the North Leeward and North Windward communities and staff of the Ministry of National Mobilisation. The summary of the findings from the community engagement survey is highlighted below.

4.3.1. PARTICIPATION IN COMMUNITY GROUPS

Based on information gathered from the Community Engagement Survey the rate of participation in community development activities is 72% men and 36% women. It should be noted that over 90% of men and over 85% of women believe they have a role to play in community development. Slightly over 80% of men have participated in activates put on by a community group, whereas just about 40% of women have done so; and 40% of men and 15% of women are members of community groups. This can be seen in Figure 19 below.




Figure 19: Participation and Inclusion – Rose Hall

The age range with the highest numbers interviewed was 56+ with eleven persons in this age range being interviewed; followed by the 36-45 age range with six (6) persons being interviewed and the other three age ranges of 26-35; 18-25; and 46-55 having five respondents each, as shown in Table 11. As a note, the age spread found in the Community Engagement Survey was as follows: the age range with the highest respondents was 25-44 with 15 respondents; then 55+ with 13 respondents; and 15-24 and 45-54 with 11 respondents each. This can be seen in the Table 12.

Table 11: Number of respondents to LBA Survey ineach age range (Source: Kobo Toolbox) Age Rangeof LBA Survey Respondents

18-25	26-35	36-45	46-55	56+
5	5	6	5	11

Table 12: Number of respondents to CommunityEngagement Survey by Age Range Age Range of2018 Community Engagement Survey Respondents

15-24	25-44	45-55	55+
11	15	11	11

Table 13:Percentage of respondents indicatingpreference of community engagement (Source:Community Engagement Survey Findings)Methodsof preferred Community Engagement by Percentageof Respondents


Church	Community Meetings	On the Street	The Bar
48%	29%	18%	5%

According to feedback from the 2018 Community Engagement Survey (CES), the preferred method of engagement would be through the Church with 48% of respondents expressing preference for this. Other methods of engagement are through the Community Meetings, on the street and finally the bar.

4.4 CRIME, PUBLIC SAFETY AND PERCEPTION OF COMMUNITY ISSUES

The 2018 CES also revealed that the issue of greatest concern for the community of Rose Hall was unemployment. This shown in Figure 20.

Figure 20: Developmental Issues - Rose Hall



However, the LBA investigation further found that lack of water was also considered a priority. In order of importance, the following issues are the main challenges impacting the Rose Hall community:

- 1. Lack of water/interrupted water supply to a particular section of the community
- 2. Unemployment
- 3. Drugs
- 4. Crime (assault, incest, theft, praedial larceny).

5 Economic Profile

According to data from the 2012 Housing and Population Census, 73.6% of the economically active population in the Chateaubelair division, of which Rose Hall is part, are employed. This statistic represents persons aged 15 and over who are able and willing to work. Twenty-six point four percent of persons (26.4%) fitting this description were unemployed. The data show a higher percentage of unemployment among females (33.8%) compared to males (22.2%), consistent with movement in the general population.

Among the employed, the most held occupation group was skilled agricultural, forestry and fisheries workers which accounted for 35.7% of the employed in the division, compared to 12.5% island wide. Service and sales and elementary occupations were commonly held occupations accounting for 21.7% and 11.4% of the employed in the division.

Figure 21: Employed and Unemployed Population





Figure 22: Major Occupation - Chateaubelair and Country Average



5.1.1. EMPLOYMENT BY GENDER

During the Rose Hall LBA exercise, it was learned that majority of respondents to the LBA Survey identified as being employed either through being a farmer or some other means.

Table 14: Employment status of respondents toLBA Survey by Gender (Source: Kobo Toolbox)Employment by Gender

Gender	Employed	Unemployed
Male	8	
Female	15	9

5.1.2. OCCUPATION AND SKILLS BY GENDER

The respondents to the LBA Survey indicated that they were a majority of farmers, with the respondents who were not farmers being split between being unemployed, teachers, hairdressers, school principal etc. as revealed in the table below.

Table 15: Occupation by gender ("other" includes:unemployed; teacher; hairdresser; self-employed;principal)

Gender	Occupation		
	Registered Farmer	Non- Registered Farmer	Other
Male	8	1	
Female	5	4	15

Table 16: Showing if tools used by farmers areowned Status of tools

Owned	Used with Permission
15	2

5.1 FINANCIAL SERVICES

There were no financial services in the community of Rose Hall. Residents travel to Barrouallie (10 miles south) to access such services or to Kingstown (22.2 miles south).

6 Hazard Profile

St. Vincent is exposed to high levels of risk to meteorological (high wind, extreme rainfall, hurricanes, and drought) and geophysical (earthquakes, volcanic eruptions, tsunamis) hazards, which have significant negative impacts on economic development, fiscal stability, and communities. Some of these natural hazards are being exacerbated by the adverse impacts of climate change, which put increased stress on coastal investments, national infrastructure, water availability, and livelihoods, especially of the poor and vulnerable groups. Of the disasters regularly affecting SVG, hydro-meteorological (hydromet) events occur most frequently and represent a significant source of average annual losses, which from 1996 to 2015 were estimated to be around 1.2 percent of GDP (ranked 16th globally) (Kreft et al. 2016). The trough in December 2013 resulted in extensive physical damage and economic losses estimated at approximately US\$108.4 million (15 percent of GDP). The trough hit at a time when SVG was just showing signs of recovery from the global financial crisis, and the natural disasters exerted further strain on an already challenging fiscal context.

The island of St Vincent lies in the hurricane belt, and is susceptible to both strong windstorms and heavy rains. Two-thirds of the island is forested (FAO, 2010). As noted in the 2013 Caribbean Catastrophe Risk Insurance Facility (CCRISF) report on the St Vincent and the Grenadines, the SVG islands are prone to moderate levels of a variety of hazards.

The islands lie towards the southern end of the main Atlantic hurricane belt although the complex topography can increase the risk for stronger winds, heavy rains and landslides.

The low-lying Grenadines are exposed to storm surge and wave hazards. Earthquake hazards are moderate, but there are significant volcanic hazards from both the Soufrière volcano on St Vincent and from Kick 'Em Jenny in the southern Grenadines, which is also a potential tsunami source. St Vincent and the Grenadines has limited economic diversity, with tourism important in the Grenadines where there is moderate exposure to wave and storm surge hazards.

Since bananas are the main export product from St Vincent, all farming is prone to the impact from high winds and heavy rain. Landslides commonly hamper communications on the island. Several volcanic eruptions in the past 2 centuries have killed many people and devastated areas in the north of the island. While this report is being finalized, St. Vincent and the Grenadines is experiencing a series of explosive volcanic eruptions.





Although St Vincent lies quite far south in the Lesser Antilles, hurricanes are still common, and the rugged topography of the island and low-lying nature of the Grenadines makes the impact of even moderate hurricanes potentially serious. Hurricanes Janet (1955), Allen (1980), Hurricane Lenny (1999), and Hurricane Tomas (2010). produced severe hurricane winds (greater than 110 mph) on St Vincent, although damage reports for these events are not available.



The islands are also vulnerable to flash flooding. The steep topography coupled with short (6 km) distances from the coast to the center mountain ridge creates a hydraulic system where stream concentration times are short (nominally 30 minutes). High rainfall, such as rain associated with a thunderstorm, quickly concentrates in stream channels, promoting rapid flooding. In this type of system, early warning of an actual flood event cannot be accomplished by monitoring stream levels because once they rise, it is too late. Any warning would need to be based on rainfall observations to trigger an alert.



6.3 LANDSLIDES, STORM SURGE AND DROUGHT

The Caribbean Handbook on Risk Information Management³ (CHARIM) also notes that Landslides, particularly on the larger islands, are a significant hazard and the risk is increased during the seasonal rains. Coastal flooding is a major concern particularly relating to storm surge and high wave action. The Grenadines are more susceptible to drought.

Given its geographic location, small land mass, and topography, the entire nation is highly vulnerable to natural disasters. Because of its volcanic origin, steep slopes dominate the islands' landscape and tilted volcanic layers define the geology and soils (De Graff 1988, cited in Westen, C.J. and Sijmons, Koert. 2016). It has more than 40 rivers and tributaries, which originate in the central mountains and discharge to the Caribbean Sea or the Atlantic Ocean (DLN Consultants 2006). The combination of tropical temperatures and abundant rainfall leads to slope instabilities and the high potential for landslides. In 1988, De Graff produced an analysis of landslide susceptibility (Figure 23) and during the study identified about 475 landslides, covering about 1 percent of the country's surface. The most common type of landslides in SVG are debris avalanches, which are defined as rapid movements of an unconfined mass of soil and rock falls. Depending on the topography, another common type of landslide is debris flow, for which the movement of debris is confined to a channel. In SVG, debris flow is usually associated with river channels in the mountainous sections of the country. Debris flows can travel long distances, particularly when river flooding has occurred. They approach quickly and exhibit a considerable destructive force. Volcanic eruptions have affected the country in 1789, 1812, 1902, 1971, and 1979 and again in 2021. With the on-going eruption of La Soufriere, the combination of rainwater, debris and volcanic ash can form into lahar and can continue to pose as significant risks for months or even years to come.

³ http://www.charim.net/stvincent/information




Figure 23: Landslide Hazard Map – St. Vincent (Source, cited in Joslyn, 2008)



6.4 EARTHQUAKES

An earthquake is the sudden release of stored energy in the earth crust. Most earthquakes occur along a fracture within the earth, called a fault. The shaking caused by this sudden shift is often very small, but occasionally large earthquakes produce very strong ground shaking. It is this strong shaking and its consequences – ground failure, landslides, liquefaction – that results in damaged buildings and structures and often results in negative impacts on the economy. Earthquake magnitude and intensity are measured on two different scales, the Richter Magnitude scale for source magnitude (the amount of energy released by the event) and the Modified Mercalli Intensity⁴ (MMI) scale for the amount of shaking felt at a specific place on the ground.

St Vincent and the Grenadines lie in a relatively quiet zone of the Lesser Antilles island arc. Earthquakes are more common to both the north and south. However, there are four instances of shaking intensity (MMI⁵) at category VII or VIII (potentially damaging) in the past 200 years, although actual damage reports for these events are not readily available (See Figure 25). Prior the current set of eruptions, the last major volcanic eruptions, in 1979 and 1902, produced felt earthquakes as well as more devastating explosions and pyroclastic flows in valleys around the north of the island. **Figure 24:** Mercalli Intensity Scale Categories (Source: https://alltechinc.blogspot.com/2031/10/ understanding-intensity-scale-and-sense.html)

I. Instrumental

Not felt by many people unless in favorable conditions

II. Weak

Felt only by a few people at best, especially on the upper floors of buildings. Delicately suspended objects may swing.

III. Slight

Fell quite noticeably by people indoors, especially on the upper floors of buildings. Many to do not recognise it as an earthquake. Standing motor cars may rock slightly. Vibration similar to the passing of a truck. Duration estimated.

IV. Moderate

Felt indoors by many people, outdoors by a few people during the day. At night, some awakened.

V. Rather Strong

Felt outside by most, may not be felt by some people in non-favourable conditions. Dishes and windows may break and large bells will ring. Vibrations like train passing close to house.

VI. Strong

Felt by all; many frightened and run outdoors, walk unsteadily. Windows, dishes, glassware broken; books fall off shelves; some havy furniture moved or overturned; a few instances of fallen plaster. Damage slight.

VII. Very Strong

Difficult to stand; furniture broken; damage negligible in building of good design and construction; slight to moderate in well-built orginary structures; considerable damage in poorly built or badly designed structures; some chimneys broken. Noticed by people driving motor cars.

VIII. Destructive

Damage slight in specially designed structures; considerable in ordinary substantial buildings with partial collapse. Damage great in poorly builts structures. Fall of chimneys, factory stacks, columns, monuments, walls. Heavy furniture moved.

IX. Violent

General panic; damage considerable in poorly designed structures, well designed frame structures thrown out of plumb. Damage great in substantial buildings, with partial collapse. Buildings shifted off foundations.

X. Intense

Some well build wooden structures destroyed; most masonry and frame structures destroyed with foundation. Rails bent.

XI. Extreme

Few, if any masonry structures remain standing. Bridges destroyed. Rails bent greatly.

XII. Cataclysmic

Total destruction - everything is destroyed. Lines of sight and level distorted. Objects thrown into the air. The ground moves in waves or ripples. Large amounts of rock move position. Landscape altered, or leveled by several meters. In some cases, even the routes of rivers are changes.

⁴ Modified Mercalli Intensity scale

⁵ Modified Mercalli Intensity Scale developed from Giuseppe Mercalli's Mercalli intensity scale of 1902, is a seismic intensity scale used for measuring the intensity of shaking produced by an earthquake. It measures the effects of an earthquake at a given location, distinguished from the earthquake's inherent force or strength as measured by seismic magnitude scales (such as the "Mw" magnitude usually reported for an earthquake). While shaking is caused by the seismic energy released by an earthquake, earthquakes differ in how much of their energy is radiated as seismic waves. Deeper earthquakes also have less interaction with the surface, and their energy is spread out across a larger volume. Shaking intensity is localized, generally diminishing with distance from the earthquake's epicenter, but can be amplified in sedimentary basins and certain kinds of unconsolidated soils. <u>https://en.wikipedia.org/wiki/</u> Modified_Mercalli_intensity_scale



6.5 VOLCANIC HAZARDS

According to the Seismic Research Center (SRC) of the University of the West Indies (UWI), there are 19 active volcanoes in the Eastern Caribbean with every island from Grenada to Saba directly exposed to volcanic eruption threats. The islands of Grenada, St. Vincent, St. Lucia, Martinique, Dominica, Guadeloupe, Montserrat, Nevis, St. Kitts, St. Eustatius and Saba have active volcanic centres. On the other hand, non-volcanic islands such as Anguilla, Antigua, Barbuda, Barbados, British Virgin Islands, most of the Grenadines and Trinidad & Tobago are close to volcanic islands and are also exposed to volcanic hazards such as severe ash fall and volcanically-generated tsunamis.

St. Vincent and the Grenadines is located in the southern section of a chain of volcanic islands which comprise the Lesser Antilles. It is an archipelagic State that forms part of the Windward Islands in the Southern part of the Caribbean and is surrounded by St Lucia to the North, Barbados to the East and Grenada to the South. The state covers a total land area of approximately 150.3 square miles (388 sq. km.) and a larger marine area including a shallow coastal shelf encompassing an area of approximately 690 square miles. The main island of Saint Vincent is 28 kilometers long and 15 kilometers wide. (source: SVG National Volcano Emergency Plan, 2021).

Topographically, St. Vincent is mainly defined by a backbone of volcanic mountains that stretch much of its length and rise northwards to an elevation of approximately 1,220 m above mean sea level where the La Soufriere volcano is located. The Soufriere is a strata-volcano, with an open summit crater of 1.6 km in diameter. Volcanologists have noted that volcanic activity can be quiet and effusive or violent and explosive, and the length of time that an eruptive episode persists can vary from a few minutes to weeks, months or even decades (source: SVG National Volcano Emergency Plan, 2021).

Figure 25 shows the various volcanic hazard zones for the whole island of St. Vincent and shows that Rose Hall, which is in the Chateaubelair Division, is in the Orange Zone.

In 1994, Robertson described volcanic vulnerability as a "measure of the susceptibility to loss expected due to a particular volcanic event. It is a measure of the possible magnitude of losses expected from a particular volcanic event (UNDRO, 1982)". Alexander (1991, cited in Robertson 1994), presented a conceptual equation for vulnerability in which it is a function of four factors:

- risk amplification (results of bad construction practice);
- risk mitigation (due to good construction practice);
- risk perception and an indirect cultural factor.

The Soufrière volcano, whose steep sides, poorlyconsolidated bedrock and incised ravines (or 'gutters', Nanton, 2017, cited in Pyle, et.al. 2018) present a suite of ongoing hazards during periods of both quiescence and unrest (e.g. from sediment-charged flash floods and landslides).




Figure 25: Volcanic Hazard Zones (Source: NEMO 2021)

As described by Pyle et.al., (2018), the summit of the Soufrière comprises a complex of intersecting craters of different ages, suggesting that it has experienced repeated eruptions during its history, most recently in 2021. In addition to 2021 activity, there have been at least five eruptions since 1718, which mean that St Vincent is – by this measure – the most active subaerial volcano in the Caribbean. Eruptions over the past 300 years have occurred against the backdrop of an evolving social, economic and political environment.

According to Robertson (1994), throughout its recorded history (post-1718), the Soufriere volcano has exhibited two contrasting styles of activity, a quiet, effusive versus a violent explosive style. Examination of the stratigraphy suggest that activity during the pre-historic period varied only slightly, with one major period of very cataclysmic Plinian type activity (Rowley, 1978a; Sigurdsson, 1981; Robertson, 1992 – cited in Roberston, 1994).

6.5.1. DIFFERENT TYPES OF VOLCANIC HAZARDS

The 2021 draft St. Vincent and the Grenadines: Volcano Emergency Plan and Standard Operating Procedures identifies the different types of primary volcanic hazards as follows:

- Pyroclastic flows and surges from dome collapses
- Pyroclastic flows and surges from the collapse of the crater walls
- Pyroclastic flows and surges from explosive column collapse
- Lateral Blasts Explosions with ash and rock fallout
- Mudflows or Lahars

Table 17: Effect of the 1979 volcanic eruption on some aspects of the human and natural resources of St. Vincent and the Grenadines. *(Source: Robertson 1994)*

Human and natural resource affected	Costs (USD)
Maintenance of evacuees housed in evacuation camps	39,507 per day
Maintenance of evacuees housed outside evacutation camps	5,269 per day
Operation of public transport involved in the evacuation exercise	3,160
Rehabilitation of schools, community centres and churce buildings used as evacuation camps	79,013
Repairs to the national housing stock	2,130,069
Repairs to the national road network	4,213,994
Rehabilitation of agriculture	2,129,646
Damage to the main crop (bananas)	50-60% loss of entire crop

Table 18 presents these hazards and the types of impacts they can be expected to cause.

Hazard	Area Affected (Radial distance from vent, km)	Immediate Risk	Ongoing Risk	Anticipated Loss	Mitigation	Recovery Period following Cessation of Activitty
Earthquake*	5-8km	Low	Low	Small	Not applicable	Not applicable
Lava flows and domes*	1-3km	High	Low	High	Moderate	Several months to years
Pyroclastic flows and surges*	5-7km	High	High	Extreme	None	Several weeks to several months
Mudflows*	5.10km	High	High	High	None	Several weeks to several months
Ballistic projectiles*	1-5km	Moderate	Moderate	Moderate	Minor	1 week to several months
Airfall Tephra*	1 to >10km	Moderate	Moderate	Low to Moderate	Moderate	1 week to several months
Volcanic gases	1-3km	Moderate	Moderate	Low	Minor to Moderate	Not applicable
Phreatic explosions	<4km	Moderate	Low	Low	None	Several weeks to several months
Landslides*	5-8km	Moderate	High	Moderate		Several weeks to several months
Laterally directed blasts and structural collapse	5-8km	Low	Low	High		Several weeks to several months
Lightning*	<7km	Low	Low	Low	None	Days to weeks
Tsunami	5 to >10km	Low	Low	Low	Moderate	Up to 1 – 2 days

Table 18: La Soufriere Volcano Impact Matrix (Source: NEMO 2021)

*Events which are likely to be repeated over a period of time (days, weeks to months) following the initial event

The secondary volcanic hazards are:

- Ruptured water lines which can lead to flooding.
- Fires
- Contamination of water supply
- Respiratory ailments due to dust
- Visibility issues due to dust
- Ash clouds can contribute to airport closures.

Volcanic threats to livelihoods include:

- Livestock farming
- Arable farming
- Traditional farming
- Nature tourism (Waterfalls, Ecology)
- Beekeeping
- Major impact to critical facilities such as healthcare
- Major impact to factories and small businesses
- Fishing industry (Restricted access to sea, damage to jetties and inability to access fish storage locations)

Prior to the 2021 eruption, Roberston (1994) suggested that the 1979 eruption already had huge impact on human and economic life and forced major adaptation in the patterns of human life and activity on the island of St. Vincent. But he also noted that population growth and increasingly limited options means that people would continue to live in and develop areas of high risk from eruptions at the Soufriere volcano. "Future volcanic eruptions should therefore be expected to have a greater effect socially, than has been the case in the past," Robertson suggested.

The social impact of past eruptions, such as the 1979 eruption, have varied from disruption of family life due to evacuation and relocation, to migration of entire families to foreign countries. In addition, mental and emotional stress was placed upon the evacuated population who were accustomed to more expansive personal space. The social impacts have varied from disruption of family life due to evacuation and relocation, to migration of entire families to foreign countries. In addition, mental and emotional stress was placed upon the evacuated population who were accustomed to more expansive personal space. Fortunately, even prior to the 2021 eruption, as Robertson noted in 1994, "the Soufriere volcano features prominently in the minds of most Vincentians" The degree to which this affects their actions varies largely with their economic status, recollection of past events, proximity to the volcano and knowledge of volcanic processes. The manner in which the volcanic threat is perceived is well illustrated by the fact that during all of the historic eruptions, people living within the areas of highest risk (north of the Rabacca and Wallibou rivers), begun moving away from the volcano prior to any formal evacuation exercise ordered by the governing authorities.

In 2021, the Soufriere volcano erupted once again. The impacts, damages and losses are discussed in the next section on vulnerability and risk.

6.6 HAZARD RANKING IN ROSE HALL, CHATEABELAIR DIVISION

A hazard is defined as a potentially damaging physical event, phenomenon or human activity that may cause the loss of life or injury, property damage, social and economic disruption or environmental degradation. Volcanic Eruption, Flooding, Landslide, Bush Fires were the four main natural hazards cited by residents shown in table below. Landslide was identified as the predominant hazard as the consistent showers normally happens during the rainy season. The overall impact of the Landslide was seen to have cause the most significant impact due to the frequency and given the loss of crops, resulting in financial losses.

The key hazards that impact the community which may cause loss of life, injury, property damage, social and economic disruption or environmental degradation include:

- flooding of low lying areas due to the overflow of the river
- 2. bushfires due to extreme heat conditions
- landslides from the occasional land slippage due to the hilly terrain overlooking the coastal lands and
- 4. volcanic eruptions the most recent of which took place in 2021.

During the LBA assessment, landslides and bush fires were the two main natural hazards cited by residents shown in Table 19. Landslides were identified as the predominant hazard that would affect the community. The overall impact of the landslides depends on the severity of damage ranging from near extreme to mild.

Hazard	Year	Location	Economic and Financial Losses (1-5)	Number of persons affected (1-5)	Overall Impact
Landslides	Dec-2013 Nov-2017	River pond Rose Hall	4 2	3 3	Crops destroyed Homes destroyed Broken Roads
Bushfires	2010	All Island	3	3	Loss of crops
			1 minor 5 extreme		

Table 19: Hazard Matrix – Rose Hall

It is noteworthy that when the LBA was done, volcanic eruptions were not considered to be a high ranking priority hazard for residents of Rose Hall. The Rose Hall hazard matrix also does not including flooding which is in contrast to the ranking found in Chateaubelair as seen in Table 20. However, It is important to note that after the 2021 volcanic eruption, the community's ranking of the various hazards they face may have changed.

Hazard	Year	Season	Geography (area affected)	Physical damages (1-5)	Economic and Financial Losses (1-5)	Overall Impact
Volcanic Eruption	1979	April	Chateaubelair	2	1	Evacuate
Flooding	2013	Dec.	Areas close to the river.	4	3	Damage of bridges and roads, loss of crops and livestock
Landslides	2013 & 2016	Dec. & Nov.	Villages - Cocoa, Sharpes, Chateau on the main road.	3	1	Loss of crops
Bush Fire	Yearly	April	Hill of Chateaubelair	1	1	Landslide
				Ranking 1-5 wit	h 5 the worst	

Table 20: Hazard Matrix – Chateaubelair based on the 2019 LBA Assessment

6.7 VOLCANO READY PROJECT AND REDUCING VULNERABILITY

The Volcano-ready Communities Project in St. Vincent, which is financed by the CDRRF and is being implemented by the Seismic Research Centre (SRC), University of the West Indies, St. Augustine, Trinidad and Tobago. This project seeks to reduce vulnerability to the multi-hazard environment of the Soufriere Volcano through a combination of activities designed to enhance community early warning procedures, increase adaptive capacities, strengthen awareness, and enhance response capacities. The Project comprises four components which seek to increase the resilience of the 12 communities in St. Vincent and the Grenadines to volcanic and other natural hazard events and climate change. The communities have been grouped into two and they are (a) Windward communities comprising Fancy, Owia, Sandy Bay, Overland and Big Level, South Rivers, Park Hill, Colonaire, and (b) Leeward communities comprising Fitz Hughes, Chateaubelair, Rose Hall, and Spring Village.

The project consists of three (3) main components:

Component 1

Increased Community Volcano and Other Natural Hazard Readiness;

Component 2

Increased Knowledge and Awareness of Volcano and Multi-Hazards Risk Reduction and Climate Change Impacts in the Beneficiary Communities; and

Component 3

Enhanced Adaptive Capacity. A fourth component covers project management and administration. CDRRF Volcano Ready Project

The proposed project is a solid example of effective partnership engagement and coordination. Strong partnerships with Red Cross and Community Development are particularly worth noting. Even though the initial consultation with the communities was over a year ago, all the communities visited during the Rapid Community Climate Vulnerability Assessment (RCCVA) mission were aware and in support of the proposed initiative. During the 2016 RCCVA, it was evident that NEMO had a strong working relationship with the proposed communities and a detailed understanding of the social and environmental challenges. Relationships with a broad range of stakeholders in government, civil society, and the private sector ensure a holistic approach to the implementation of the project. This collaborative approach will also facilitate the sharing of knowledge and skills which could lead to greater impacts.

To also seek to effectively incorporate climate change in the proposed initiative, it will be important to broaden the focus from the volcanic hazards to the "volcanic environment" in general. In other words, to determine how the presence of the volcano creates other hazards that can interact with or be exacerbated by climate-related hazards.. For example, due to the steep slopes, landslides and rates of flooding could increase under future changes in climate. The focus should be on building general resilience of the targeted communities rather than trying to build resilience to a specific hazard. The rationale is that increasing the resilience of particular parts of a community to specific disturbances may result in resilience lost in other ways.

6.7.1. FINDINGS FROM THE 2016 RAPID COMMUNITY CLIMATE VULNERABILITY ASSESSMENT (RCCVA)

During the focus group discussions (FGD) held in September 2016 across the Volcano Ready Communities, the participants identified agriculture as the most predominant livelihood activity in their communities. Problems were identified such as poor access to markets that limit income security at all times, and thereby undermine resilience in the face of hazards. Unemployment and constrained livelihood opportunities in the north of the island are therefore accentuating underlying vulnerability to disasters. Addressing the high level of uncertainty and problems related to agriculture will be key to resilience-building efforts at the community level. Other livelihoods are also under pressure as unemployment is widespread in these communities.



The situation is amplified in some areas by poor construction and land management practices which often lead to increased sedimentation and degradation of the marine environment. The proposed multi-hazard approach will ensure that a holistic approach is taken to reduce exposure to multiple stressors and shocks.

6.7.1.1. Finding 1

The consensus from the focus group discussions is that disaster impacts generally affect women more or in a worse way. In Fancy, the female farmers have organized themselves into a group (Fancy Ladies) to offset negative impacts on their livelihoods. Women are particularly involved with livestock production (sheep, goats, pigs). It will be important to consider these gender dynamics during the implementation of the project.



6.7.1.2. Finding 2

While La Soufriere Volcano is a hazard that can have a direct impact on the entire island as well as in the neighbouring islands, the proposed communities are also exposed to floods, hurricanes, droughts, landslides and coastal erosion. These are also major concerns. The most recurrent events are hurricanes and tropical storms. Given the island's topography, the types of construction and the places where these have been built, frequently in unstable hill areas, rain and wind often cause severe damages to buildings, infrastructure and agriculture. Landslide is also a major challenge facing the communities due to the steep topography, friable soils, and localized rainfall events.



6.7.1.3. Finding 3

During the focus group discussions, the participants indicated the use of savings as the most typical coping strategy. Strong support from community members was also cited as a key coping strategy. The recovery process, or what people do after a hazardous event has impacted their household, seems to be based on a combination of factors: continuing with daily routines and activities, accessing assistance from the state, and using their savings or relying on their families and friends. The fact that the island is prone to the impact of multiple hazards means that recovering is made more difficult by the possibility that another hazard might impact soon after. For example, after the eruption in 1979, Hurricane Allan struck the island in 1980 and caused a lot of damage to crops that had been recently planted. Other problems, such as plant disease also impact farmers.





6.7.1.4. Finding 4

The main challenges facing the communities include:

- Marketing of agricultural produce (farmers are primarily dependent on Traffickers)
- Land space and tenure access to arable land are limited in most of the proposed communities
- Pest & Plant disease: Farmers indicated that they had experienced an increase in the frequency of pests and plant disease
- Drought and heavy rains: Drought was identified as 'silent' stressor while the increased frequency of heavy rain is a major concern
- Extension service: Farmers expressed the need for improvement in extension services to their communities
- Quality of seeds and planting material:
- Praedial Larceny
- Landslides
- Social cohesion: strong but formal groups are relatively weak

6.7.1.5. Finding 5

The success of the Community Early Warning Systems (CEWS) will be dependent on the strength of the community groups. While groups exist in most of the proposed communities, their capacities are limited and will need strengthening to effectively support the implementation. Of particular importance will be the building of awareness of local income-generating opportunities. In general, the communities are not sufficiently informed about national plans for coping with geologic hazards and do not have adequate resources, training and information with which to mitigate their impact. Building community adaptive capacity to volcanic eruptions can be challenging. The indicators and outcomes should be revised to focus on the volcanic environment in general and to capture and address the multi-hazard risks facing the targeted communities.

7 The 2021 Volcanic Eruption

In December, 2020, the La Soufriere Volcano became active once again and on April 9th 2021 it erupted explosively.

The explosive volcanic activity prompted mass evacuation of persons from communities in the red and orange zones (Figure 20) – the northeast and northwest of the island. Numerous farmers were been displaced from their communities and relocated to southern communities.

Late in April 2021, once the eruptions had subsided enough for Damage and Loss Assessments Teams (DaLAT)to formed and assessments to be conducted of the infrastructure and crop damage, Detailed Agriculture Damage Assessment (DADA) reports were prepared. This LBA report includes the data and information that were collected from these preliminary reports.

The National Emergency Management Organization (NEMO) reported that a total of 13,303 persons⁶ were evacuated. Of these persons, approximately 2875 were registered farmers and 278 were fisherfolk who were dislocated from the red and orange zones (Table 7). Additionally, some farmers and fishers from the Yellow Zone, especially on the leeward side, were evacuated.

The Eruption precipitated a mass evacuation from communities in the northeast and northwest of the country with over 13,000 persons moving from the hazard zones to public and private dwelling within the safer zones in the south of the country. Numerous farmers have been displaced from their communities and relocated to southern communities in the process. Extensive acreages of crops have been lost or damaged as a direct and or indirect consequence of the eruptions or from secondary reasons related to the abandonment of the crops and free roaming animals let loose by farmers before they evacuated. The eruptions both directly and indirectly affected agriculture, forestry, fishing and agriculture infrastructure throughout the country resulting in damages and losses ranging from as low as 7% in the Green Zone to 100% in a substantial number of commodities in the Red and Orange Zones.

Table 21 summarizes the estimated damage and loss by sectors. However, the Assessment team have suggested that while their preliminary report estimated a loss of \$54,000,000 (USD \$20,000,000) in general agriculture infrastructure, "the full extent of the damage and loss will need to be comprehensively assessed and may result in much higher estimates."

With respect to the livestock sector, the damage and loss was initially estimated to be low as farmers were advised to let their animals loose. However, "with the limited availability of feed and water in a highly ash contaminated environment, the prediction was that indirect losses in animals will increase ranging from 10 to 30 percent due to health and other complications." Overall, the preliminary DADA report indicates the estimated value of total damage and loss sustained by the crops, livestock, apiculture, fisheries and forestry sectors is \$142,628,402.00.

A further cropland damage assessment done on April 26 2021 by Ghosh et.al., and employed Normalized Difference Vegetation Index (NDVI)⁷ analysis to assess the magnitude of ash damage to crop and vegetative cover and found that the changes in NDVI values are much higher in the surrounding areas of the volcano.

⁶ National Emergency Management Organization update, dated April 19, 2021

⁷ Normalised Difference Vegetation Index (NDVI) "quantifies vegetation by measuring the difference between near-infrared (which vegetation strongly reflects) and red light (which vegetation absorbs) https:// gisgeography.com/ndvi-normalized-difference-vegetation-index/

Table 21: Crop Damage and Loss Assessment

Crop type	Acreagein	Viddage	Expected Vield	Estimated	Cestof	Estimated total	Fama gate	Total Value of	Estimated total	Estimated total			
cred cibe	production	(lbs)	(Lbs)	Dama ge	Production/	Value of damage	price/Lb	Losses	Damage and	Dama ge and Loss			
				(acreage)	acre			34750-047500	Loss ECS	US\$			
Arrowroot	98	9,000	882,000	98	\$5,700.00	\$558,600.00	\$1.00		1.440.600.00	533,555,56			
Asparagus	5	8,000	40,000	0.2	\$3,705.00	\$741.00	\$10.00	\$\$\$ 2 000 00 \$16,000.00	16,741.00	6,200.37			
Beet	1.5	4,000	6,000	0.5	\$4 268 00	\$2,134,00	\$1.00	\$2,000,00	4,134,00	1.531.11			
Braccolli	1.5	7,000	10,500	1	\$7.245.00	\$7,245.00	\$4.00	\$28,000.00	35,245,00	13.053.70			
Cabbage	20	12,000	240,000	12	\$7.065.00	\$\$4,780.00	\$2.00	\$2\$8,000.00	372,780.00	138.066.67			
Carrols	60	8,000	480,000	54	\$7,685.00	\$414,990.00	\$2.50	\$1,080,000.00	1.494.990.00	553,700.00			
Cassaya Cauliflower	80	25,000	2,000,000	68	\$7,532.00	\$512,176.00	\$0.90	\$1,530,000.00	2.042.176.00	756.361.48			
Celery	3	6,000	18,000	3	\$6.885.00 \$6.073.00	\$41,310.00 \$18,219.00	\$6.00 \$3.25	\$32.4.000.00 \$58.500.00	365,310.00 76,719.00	135,300.00 28,414,44			
Chive	66	8,000	528,000	59	\$8.054.00	\$475,186,00	\$1.75	\$\$2,6,000,00	1.301.186.00	481.920.74			
Com	48	12,000	576,000	7	\$4,783.00	\$33,481.00	\$1.50	\$126,000.00	159,481.00	59.067.04			
Cucumber	35	18,000	630,000	35	\$6.336.00	\$221,760.00	\$1.00	\$630,000,00	851,760.00	315,466.67			
Dasheen	400	14,000	5,600,000	100	\$4,166.00	\$416,600.00	\$0.80	\$1,120,000.00	1,536,600.00	569,111.11			
Eddocs	550	11,000	6,050,000	138	\$4 100 00	\$565,800.00	\$1.00	\$1 518 000 00	2.083.800.00	771.777.78			
Eggplant Flavour pepper	6	15,000	90,000	6 1	\$6.853.00	\$41.118.00	\$2.00 \$2.50	\$1\$0,000.00	221.118.00	81,895,56			
Ginger	120	20,000	2,400,000	11	\$9.342.00 \$8.320.00	\$9.342.00 \$91.520.00	\$2.50	\$37,500.00	46.842.00	17.348.89 278.340.74			
Hot Pepper	5	15,000	75,000	1.5	\$8,922.00	\$13,383.00	\$3.00	\$67,500.00	\$0,853.00	29.956.67			
Lettuce	8	3,000	24,000	8	\$7.712.00	\$61,696.00	\$3.50	\$\$4,000.00	145,696.00	53,961.48			
Melons	8	20,000	160,000	8	\$6.416.00	\$51.328.00	\$3.00	\$48.0.000.00	531.328.00	196,788,15			
Ochro	12	6,000	72,000	1	\$5,206.00	\$5,206.00	\$2.00	\$12,000.00	17,206.00	6.372.59			
Parsley Pak-choi	2	4,000	8,000	2	\$6,277.00	\$12,554.00	\$6.75	\$54,000.00	66.554.00	24.649.63			
Pak-chui Peanut	3	12,000	36,000	3 22	\$5,955.00	\$17,865.00	\$2.00	\$72,000.00	89,865.00	33,283,33			
Pigeons Peas	20	10,000	200,000	14	\$5.525.00	\$121.550.00	\$5.00	\$528,000.00	649,550.00	240.574.07 388.442.96			
Pumpkins	13	10,000	130,000	13	\$5,039.00	\$65.796.00 \$65.507.00	\$7.00 \$1.00	\$980.000.00 \$130.000.00	1.048.796.00 195.507.00	72,410,00			
Radish	1	8,000	4,000	0.5	\$4,268.00	\$2,134,00	\$3,50	\$14,000,00	16.134.00	5,975.56			
Sarrel	8	5,000	40,000	6	\$5,198.00	\$31,188,00	\$3.00	\$90,000,00	121.188.00	44,884,44			
Squash	5	15,000	75,000	5	\$5,303.00	\$26,515,00	\$3,16	\$237,000.00	263.515.00	97.598.15			
String Beans	8	5,000	40,000	4	\$4,478.00	\$17,912.00	\$2.20	\$44,000.00	61,912,00	22,930,37			
Sweet Pepper	55	7,000	385,000	33	\$5,683.00	\$187,539.00	\$4.00	\$97.4.000.00	1.111.539.00	411.681.11			
S Potatoes	100	8,000	1,350,000	80	\$2,965.00	\$237,200.00	\$1.50	\$960.000.00	1.197.200.00	443.407.41			
Tan nia Tom atocs	73	9,000	1,350,000	45	\$5,983.00	\$269.235.00	\$2.50	\$1.012.500.00	1.281.735.00 3.723.522.00	474.716.67			
Turmeric	8	34,000	272,000	4	\$11.417.00 \$10.043.00	\$753.522.00 \$40.172.00	\$3.00 \$1.50	\$2,970,000,00 \$204,000,00	244.172.00	1.379.082.22 90.434.07			
Water Melons	15	20,000	300,000	15	\$6.416.00	\$96,240,00	\$2.20	\$660,000,00	756.240.00	280.088.89			
Other Yam	8	12,000	96,000	7	\$7,883.00	\$55,181.00	\$4.00	\$336 000 00	391,181,00	144,881,85			
PYam	40	8,000	320,000	36	\$9,879.00	\$355,644.00	\$4.00	\$1,152,000.00	1.507.644.00	558.386.67			
White Yam	110	12,000	1,320,000	99	\$7.883.00	\$780.417.00	\$4.00	\$4,752,000.00	5.532.417.00	2.049.043.33			
Yellow Yam	8	8,000	64,000	7	\$\$,159.00	\$57,113.00	\$4.00	\$22,4,000,00	281.113.00	104.115.93			
Avocado Banana	123	9,000	1,104,000	49	\$2,209.00	\$108.241.00	\$0.80	\$705,600.00	813.841.00	301.422.59			
Breadfruit	593 137	20,000 24,500	11,854,800 3,352,000	534	\$11,340.00	\$6.055.560.00	\$0.92 \$2.00	\$9,825,600.00	15.881.160.00	5.881.911.11			
Breadnut	14	15,000	211,800	6	\$1,889.00	\$103.895.00 \$11.334.00	\$3.00	\$5,390,000,00	5.493.895.00 551.334.00	2.034.775.93 204.197.78			
Carambola	15	9,000	135,000	6	\$2,268.00	\$13,608,00	\$2.00	\$216.000.00	229,608.00	85.040.00			
Chr istoph ene	12	2,000	24,000	6	\$2,851.00	\$17,106,00	\$1.96	\$23,520.00	40,626.00	15.046.67			
Clove	4	8,000	28,000	1	\$1,900.00	\$1,900.00	\$25.00	\$40.000.00	401,900,00	148.851.85			
Cocoa	540	5,000	2,700,000	405	\$2,500.00	\$1,012,500.00	\$1.50	\$6,075,000.00	7,087,500.00	2,625,000.00			
Coconut	1500	15,000	22,500,000	1350	\$1,689.00	\$2,280,150.00	\$0.50	\$20,250,000,00	22,530,150,00	8.344.500.00			
Gold en apple Grapefruit	116	21,000	2,437,000	17	\$2,209.00	\$37,553.00	\$1.00	\$714,000.00	751.553.00	278.352.96			
Guava	24	20,000 24,000	200,000	1 5	\$2,028.00	\$2,028.00	\$1.00	\$40,000.00	42.028.00	15.565.93			
Ju jub ce	5	24,000	576,000	3	\$2,099.00	\$10,495,00	\$1.00	\$240,000,00	250.495.00 438.804.00	92.775.93			
Lemon	5	18,500	93,848	0.5	\$1,288.00	\$6,804.00 \$644.00	\$3.00 \$2.50	\$432,000.00	438,804.00	162.520.00			
Lines	12	18,500	222,000	2	\$1,288.00	\$2,576.00	\$4.00	\$296.000.00	298,576.00	110,583,70			
Manderine	2	16,000	27,615	0.2	\$1,288.00			\$6,400.00					
Mangues	400	17,500	7,000,000	80	\$1,969.00		\$0.50	\$1,400,000.00		576,859,26			
Nutmeg	40	800	32,000	4	\$1,900.00	\$7,600.00	\$3,50	\$22,400.00	30.000.00	11.111.11			
Orange	15	27,000	405,000	1.5	\$2,367.00		\$1.00	\$\$1,000.00	84,550,50	31.315.00			
Passion Fruit	10	8,000	80,000	10	\$2.841.00		\$2.50	\$200.000.00	228.410.00	84.596.30			
Paw paw Pin capple	8 30	15,000	120,000	4 27	\$5,334.00		\$2.00	\$120,000,00	141.336.00	52,346.67			
Plantain	700	30,000	21,000,000	595	\$7.098.00 \$8.092.00	\$191.646.00	\$\$.00 \$1.00	\$3,240,000,00	3.431.646.00 22.664.740.00	1.270.980.00			
Sapodilla	2	18,000	36,000	0.2	\$1,900.00	\$4.814.740.00 \$380.00	\$2.00	\$17,850,000,00 \$14,400,00	14,780.00	8.394.348.15 5.474.07			
Soursop	14	20,000	287,000	2	\$1,914.00		\$1.20	\$96,000,00	99,828.00				
Sugarapple	8	12,000	91,000	1	\$1,914.00		\$1.00	\$24,000.00	25,914.00				
Tangerine	5	16,000	74,000	0.5	\$1,288.00	\$644.00	\$1.00	\$16,000.00	16.644.00	6.164.44			
Waxapple	10	20,000	200,000	2	\$1,900.00	\$3,800.00	\$1.00	\$\$0,000.00	\$3,\$00.00	31.037.04			
TOTAL	6,556.4	1000				\$21,722,919.10		\$93,637,170.00	115,360,089.10	42,725,958.93			
CULTIVATED	4,000.4					V. 1, 12, 515.10	X	494,499 1,210,00	11.10 00,009.20	44,122,220,30			
			Nem										
183 acre. of a rrowroot planted, 65 acre. (40 %) of arrowroot was harvested before the emption and it considered at the value of starch loss.													
15.000 cocous ts/acr				was harrest	ed before fae	eruption and is con	sidered as th	evalue of stards	055.				

Figure 26 shows that the entire region was affected after the eruption and clearly shows that the "changes in NDVI values are much higher in the surrounding areas of the volcano."





Figure 26: Vegetation changes (NDVI) using Sentinel 2 after April 10th 2021 (left: Jan1-Apr9 and Right: Apr10-Apr26)

Figure 27 illustrates type of damage and changes in NDVI for specific types of land cover, including pasture, crops, and woody agriculture (tree crops).

Figure 27: NDVI Changes after 10th of April over the cropland area (left: Cropland, Right: NDVI change)



The NDVI analysis estimated that a total of 43% of all the cultivated lands in the island were severely impacted (roughly 3200 hectares), while 3000 hectares were partly affected and only 0.6% of lands were not affected. Tables 22 and 23 provide further detailed estimated area of damage and the types of changes in vegetation and crop land in each of the hazard zones.

Table 22: Impacted cultivated land (ha) in Saint-Vincent Islands based on land cover, vegetation changes(NDVI), by hazard zones, land cover and administrative units

Hazard	Admin Units	Pasture, cultivated land and	Woody agriculture (e.g. cacao,		Impacted cul	tivated land (c	ropland)	
		herbaceous agriculture	coconut, banana)	Total	High	Medium	Low	No change
Red	Charlotte	1089.45	347.16	1436.61	1234.18	170.19	25.68	1.68
Red	Saint David	223.16	16.78	239.94	226.65	7.92	0.99	0.12
Orange	Charlotte	484.35	132.89	617.23	388.92	213.50	13.37	0.31
Orange	Saint David	196.55	6.28	202.83	138.05	56.54	6.52	0.06
Orange	Saint Patrick	5.21	0.00	5.21	2.77	1.87	0.33	-
Yellow	Charlotte	1017.34	127.19	1144.53	499.00	557.64	81.00	2.11
Yellow	Saint Andrew	1.19	0.00	1.19	0.30	0.27	0.45	0.01
Yellow	Saint David	7.58	0.00	7.58	2.81	4.03	0.43	0.04
Yellow	Saint Patrick	141.49	0.14	141.64	48.15	76.63	15.60	0.18
Green	Charlotte	1038.32	401.21	1439.53	448.07	795.65	184.73	6.12
Green	Saint Andrew	454.53	0.07	454.60	53.07	206.40	187.11	6.56
Green	Saint George	1680.96	4.06	1685.02	150.03	840.51	677.19	26.90
Green	Saint Patrick	83.37	56.65	140.02	48.39	73.63	15.53	0.67
	Total	6424	1092	7516	3240	3005	1209	45

 Table 23: Impact severity (%) on cultivated land based on vegetation (NDVI) changes, administrative units and hazard zones

Hazard zones	Admin Units	Negative changes (based on NDVI) in cultivated areas (cropland)						
		High <-0.5	Medium -0.5 to -0.25	Low <-0.25	No change			
Red	Charlotte	85.91	11.85	1.79	0.12			
Red	Saint David	94.46	3.30	0.41	0.05			
Orange	Charlotte	63.01	34.59	2.17	0.05			
Orange	Saint David	68.06	27.88	3.21	0.03			
Orange	Saint Patrick	53.26	35.89	6.42	-			
Yellow	Charlotte	43.60	48.72	7.08	0.18			
Yellow	Saint Andrew	25.62	22.31	38.01	0.83			
Yellow	Saint David	37.10	53.18	5.71	0.52			
Yellow	Saint Patrick	34.00	54.10	11.01	0.12			
Green	Charlotte	31.13	55.27	12.83	0.48			
Green	Saint Andrew	11.67	45.40	41.16	1.44			
Green	Saint George	8.90	49.88	40.19	1.6			
Green	Saint Patrick	34.56	52.58	11.09	0.48			

Table 24: Total Effect of Volcanic Eruption to the Agriculture Sector

Category	Crops	Apiculture	Livestock	Forestry	Fisheries	Infrastructure	Grand Total EC\$	Grand Total US\$
Damage	21,722,919	116,500	447,662	20,832,500	423,947	54,000	43,597,528	16,147,232.59
Loss	93,637,170	110,250	522,243		4,815,211		99,084,874	36,698,101.48
Total	115,360,089	226,750	969,905	20,832,500	5,239,158	54,000	142,682,402	52,851,334.07

The Damage and Loss Assessment Team included officials from the Ministry Agriculture Planning Unit, Forestry, Fisheries, Extension and Advisory, Animal Health and Production Division, Banana Services Division, Inter American Institute for Cooperation Agriculture, Caribbean Agricultural Research and Development Institute (CARDI) and Food and Agriculture Organisation of the United Nations (FAO).

Figure 29 is a map of St Vincent showing the Hazard Zones and Agricultural Districts and a table showing the demographic distribution of registered farmers and fishers. Table 25 shows the distribution of farmers according to the different Hazard Zones.

Figure 28: Map of St. Vincent Showing Agricultural Districts and Hazard Zones




Figure 29 Composite map of St Vincent including Agro-ecological zones (CARDI), Agricultural Regions and Districts (MAFFRTIL) and Volcanic Hazard Zones (UWI SRC). Layers and overlays put together by Colville King, Diversification Officer MAFFRTIL, April 2021.

Zones	Total numbers of registered farmers	Total number registered fishers	Total by zone
Red	1850	125	1975
Orange	1023	153	1176
Yellow	2569	2	2571
Green	4996	1468	6464
	10,438	1,748	12,186

Table 25: Farmers Disaggregated by Hazard Zones

A mixed methodology was employed to conduct the DADA and included "field visits, telephone and personal interviews, the use of data from the Ministry and other institutions, review of past damage assessment documents and statistics from MAFFRTIL and the Ministry of Finance and Economic Planning."

Crop loss was calculated using the acreages affected multiplied by the expected yield foregone multiplied by the market price. Loss calculations for tree crops were done using the extended period of 24 months since recovery for this commodity group will take 2 to 3 years before full recovery.

Validation of these estimates was made using further resources and information from FAO, IICA and CARDI, as well as national statistics.

Livestock damage was calculated based on field visits and reports on deaths of animals and damage estimated using market values by type of animal. Losses were calculated based on production and farm gate prices.

Fisheries damage was calculated based on the estimated market value and repair costs to vessels, equipment and facilities affected. Fisheries losses were calculated based on two sets of variables (i) estimation based on vessels damaged (ii) an estimated 30% of the total fish landings for 2020.

Damage and loss in the forestry sector was not easily quantifiable due to the nature of the forestry ecosystem and services. Notwithstanding, observation and reports were used to estimate the damage done to plantation, primary and secondary forest. An estimate was made on the total number of acres of plantation and natural forest damaged and calculated using a multiplier.

The infrastructure estimation was done using visual observations from field visits and estimates of costs for damages.



However, the extensive loss of vegetation (pasture and other forage on which to graze animals) in the red and orange zones will further exacerbate preliminary estimated livestock losses which were determined to be at least \$447,662.00 in the red and orange zones with an overall estimated loss \$522,243.00. Even if farmers can get their livestock to safe zones, there are significant costs "associated with the protection, feeding and veterinary support of these livestock and their relocation to the areas."

The estimated livestock farmers affected in the red and orange zones is 1,233.

The affected animal population in the red zone for small ruminants is 4990, cattle 684 and approximately 400 pigs. More losses are expected as a result of respiratory and dietary issues and other complications.




The DADA provides detailed estimates for each of the main crops grown (primarily arrowroot, vegetables,

root crops, bananas and plantains, and tree crops).



The DADA report found that country's "thriving apiculture industry" (with 713 hives) was not severely impacted since less than 10 percent of the hives are located in the red and orange zones. The total damage was estimated at \$116,500.00 and loss amounted to \$110,250.00.



Piqs

Table 26: Livestock Damage and Loss

		DAM	IAGES			LOSSES			
PRIVATE			PUB	LIC		PRIVATE			
Commodity	No. of animals lost	Value of animals	Infrastructure damage value	No. of animals lost	Value of animals	ltems	Infrastructure damage value	Farmgate loss	Production loss Apr-Dec
Poulty	2872	\$59,720.00	\$89,550.00	0	\$0.00	Pens	\$10,000.00	\$304,875.00	\$0.00
Sheep	45	\$26,000.00	\$32,000.00	9	\$3,250.00	Guttering	\$3,000.00	\$13,020.00	\$11,620.00
Goat	90	\$52,320.00	\$4,704.00	8	\$13,200.00	Fencing	\$2,950.00	\$28,040.00	\$20,600.00
Pig	59	\$45,725.00	\$22,308.00	10	\$850.00	Forage bank	\$12,585.00	\$57,520.00	\$37,708.00
Cattle	17	\$63,500.00	\$6,000.00	0	\$0.00			\$42,560.00	\$6,300.00
TOTAL	3083	\$247,265.00	\$154,562.00	27	\$17,300.00		\$28,535.00	\$446,015.00	\$76,228.00

Table 27: Livestock Infrastructure Damage and Loss

	PRIVATE			TOTAL	XCD	USD
DAMAGE	No. of Animals	3083	27	3110		
	Value of Animals	\$247,265.00	\$17,300.00	\$264,565.00	\$447,662.00	\$164,769.41
LOSS	Infrastructure damage value	\$154,562.00	\$28,535.00	\$183,097.00		
	Farmgate Loss	\$446,015.00	0	\$446,015.00	\$522,243.00	\$192,220.18
	Production loss Apr- Dec	\$69,648.00	\$6,580.00	\$76,228.00		
	TOTAL	\$917,490.00	\$52,415.00		\$969,905.00	\$356,989.58



The DADA reports that the fishery sector in the red, orange and yellow zones has been significantly impacted. Approximately 800 fishers have been affected among which 278 relocated.

The number of vessels damaged were reduced as the MAFFRIL provided prior advice to fishers to safeguard their vessels. It was reported that seven (7) vessels with their engines and other equipment have been damaged.

As a result, the preliminary estimated damage and loss for fisheries is \$5,017,060.00 with \$361,850.00 representing damages and losses of \$4,655,210 (loss on fish landing, damaged vessels and aquaculture). International export of fisheries products also ceased due to the closure of the airport. The quantification of such loss is still to be determined.

Table 28: Summary of Fisheries Sector Damage

Number	Type/length	Boat	Engine HP	Beach Seine Net	Buoys / Fishing gears and auxillaries	Oars	Damage	Loss	Total
1			27,000.00				27,000.00	-	27,000.00
1	Pirogue 26ft	40,000.00	38,000.00				78,000.00	147,000.00	225,000.00
1	Double Ender 28ft + Beach Seine Net	20.000.00		35,000.00		800	55,800.00	324,000.00	379,800.00
3	Double Ender 14 (support boat) ft (x3)	13,000.00	-			300	13,300.00	147,000.00	160,300.00
1	Double Ender 11ft	5,000.00	-				5,000.00	36,750.00	41,760.00
1	Bow and Stern 13ft	20,000.00	15,800.00				35,800.00	73,500.00	109,300.00
1	Deck Boat 30ft	100,000.00	38,000.00		8,950.00		146,950.00	122,500.00	269,450.00
	Total	198,000.00	91,800.00	35,000.00	8,950.00	1,100.00	361,850.00	850,860.00	1,212,600.00

Table 29: Fish Landing loss

Fish landing weight	Fish Price (\$)	Fish value
559,636	7.00	\$3,804,460

7.5 FORESTRY

The DaLA estimated that "established plantations and the natural forest suffered in excess of 65% damage in the Red, Orange and Yellow zones. The estimated damage is \$56,247,750."

Table 30: Forestry Damage

Forest area	Location	Cultivated area/ no. of trees/ stands (before disaster) Acres	Damaged/ Affected area/ no. of trees	Repair Cost (where applicable)	Replacement Cost (where applicable)	Ecosystem service value	Est. Value of Damage (USD\$)
Standing timber		569.47	No. Trees/ acre	Salvage/ Rehabilitation	Planting		
Plantation Forest			200				
Red & Orange zone		76.25	76.25/ 15,250	76,250.00	381,250.00		\$457,500.00
Yellow and Green		493.22	98,644	nil	nil		
Forest Access	Cumberland			10 miles	Tractor		
roads	Perseverance						
	Rabacca						
Natural Forest	Central	31,500	20,475			Wildlife, watershed	\$20,475,000.00
Upper Montane		10,500	Destroyed	Monitoring	Protection		
Montane							
Coastal							
Total		43,165.94					\$20,832,500.00 (XCD \$56,247,750.00)



Substantial damage was done to agricultural infrastructure in the Red and Orange zones, since most of the agricultural investments were in this area (Agricultural Biotechnology Center, arrowroot and cassava factories, fisheries complex, CARDI Field Station, Ministry of Agriculture Livestock Centre, Langley Park Palletisation Centre, and Perseverance Agricultural Station).

At the time the preliminary DADA was completed, the information on the extent of damage and loss to private sector infrastructure (shade houses, farm sheds, animals housing and equipment) were not yet fully assessed. However, it was very clear that "roadways in agricultural areas in the red and orange zones as well as a number of bridges and feeder roads" were affected. The damage to the bridges and roads was an indirect result of erosion due to heavy rains, lahars and pyroclastic flows, clogged streams and rivers due to fallen trees and vegetation.

The DADA recommendations include: "urgent attention to avoid catastrophic outcomes" such as flowing down stream and river pathways as was experienced in December 2013. The figure of \$54,000,000 was quoted in the preliminary report however, from qualitative reports provided the extent of the damage maybe more. Given the extreme flooding that also later occurred in late April 2021, further damage to agricultural infrastructure will need to be documented. Table 31 presents and inventory of both public and private agricultural infrastructure and shows which assets are located in Chateaubelair Division which includes Rose Hall and what damage was noted during the DADA.



Table 31: List of General Agriculture Infrastructure

Location	Name Public	Name Private	Volcanic Zone	Impact	Proposed Relocation
Owia	Owia Fisheries Complex		Red	Ash accumlation	Not Applicable (NA)
	Arrowroot Factory		🛑 Red	Destroyed	No relocation recommende
Orange Hill	Orange Hill Agricultural Training Institute		🛑 Red	Ash accumulation	NA
	Apiaries ATI		🔴 Red	Total collapse	Botanical Gardens
	Irrigation Unit		e Red	Ash accumulation	Recommend to be moved to acquired lands in South Uni
	Orange Hill Biotechnology Centre		e Red	Total green house collapse	Montreal Green House Park
Rabacca Farms	Rabacca Livestock Station		Red	Partial damage	Montreal Green House Park
CARDI Field Station	Rabacca Farms		Red	Partial damage	Montreal Green House Park
Langley Park	Langley Park Palletization Centre		Red	Ash accumulation	No relocation recommende Assistance in rebuilding, no relocation
Langley Park		Little Nut	e Red	Total collapse of installation	No relocation recommende
Perserverance	Perserverance Agriculture Station		e Red	Total green house collapse	No relocation recommende
Perserverance		Hadley Cocoa Drying Facility	Red	Ash accumulation	No relocation recommende
Congo Valley		Congo Valley Mountain Top	Orange	Ash accumulation, disruption of water	No relocation recommende
Mt. Young		Mt. Young ALCO Hatchery	Orange	Death of chicks	No relocation recommende
Byera		Mt. William Estate	🔴 Orange	Ash accumulation	No relocation recommende
Three Rivers	Three Rivers Agriculture Station		Yellow	Ash collection	No relocation recommende
New Grounds	New Grounds Nursery		Yellow	Ash collection	No relocation recommende
Montreal Garden	Montreal Green House Park		Green	In good condition	No relocation recommende
Dumbarton Garden	Dumbarton Agriculture station		Green	In good condition	No relocation recommende
La Croix	La Croix Palletization Centre		Green	In good condition	No relocation recommende
Rivulet	Rivulet Cannabis Authority		Green	In good condition	No relocation recommende
Rivulet	Research and Development		Green	In good condition	No relocation recommende
Kingstown	Kingstown: MAFFRTIL head office		🔵 Green	In good condition	No relocation recommende
Kingstown	Plant Quarantine Port		Green	In good condition	No relocation recommende
Kingstown	Aviary Old Montrose		🔵 Green	In good condition	No relocation recommende
Kingstown	Fisheries Division Headquarters		Green	In good condition	No relocation recommende
Campden Park	Plant Protection Unit head office		Green	In good condition	No relocation recommende
Campden Park	Bureau of Standards		Green	In good condition	No relocation recommende
Campden Park		East Caribbean Feed Mills	🛑 Green	In good condition	No relocation recommende
Campden Park		East Caribbean Flour Mill	🛑 Green	In good condition	No relocation recommende
Rillian	Taiwan technical Mission Pembrook		Green	In good condition	No relocation recommende
Peters Hope	Peters Hope Germ Plasm		Green	In good condition	No relocation recommende
Barrouaillie	Barrouaillie Fisheries Complex		🛑 Green	In good condition	No relocation recommende
Walliabou	Walliabou Agriculture Station		😑 Yellow	In good condition	No relocation recommende
Belle Isle	Research and Development Plot at Belle Isle		Yellow	Ash accumulation	No relocation recommende
Belmont	Belmont Livestock Station		🛑 Orange	Partial damage	No relocation recommende
	Chateubelair Fisheries Complex		Orange	Ash accumulation	No relocation recommende

7.7 VULNERABLE GROUPS

According to the United Nations⁸ appeal, most vulnerable groups Vulnerable groups in Saint Vincent and the Grenadines will be disproportionately affected by the eruption, with a long and difficult road to recovery ahead of them. High-risk groups include poor and vulnerable households, single female-headed households with children and dependents, pregnant women and girls, farmers and fisherfolk, people living with disabilities, as well as those living with HIV/ AIDS, the LGBTQ⁹ community, youth (aged 15-29) and children, especially those under five, and the elderly. Poverty is perhaps the broadest cross-cutting issue affecting vulnerable groups.

Prior to the eruption of La Soufrière, poverty was already expected to worsen significantly due to the impact of COVID-19 on livelihoods, projected to increase from 30.2 per cent to 38.5-43.8 per cent, while severe poverty was expected to jump from 2.9 per cent prepandemic to 11.9 per cent, significantly diminishing the resilience of affected people to recover from this crisis.

Tourism and agriculture are the backbone of the Vincentian economy, making workers in these sectors particularly vulnerable during the current emergency, especially women and youth. Unemployment disproportionately affects women (30.1%) and youth (ages 15-29), for whom joblessness is twice the national rate . Some of the poorest and most vulnerable populations, many of whom are dependent on agriculture and fisheries, reside in high-risk communities that have suffered losses and damages to housing, crops, livestock as well as the tools and equipment they depend on for their livelihoods. Those dependent on these sectors will be displaced from their source of livelihood, beyond the immediate shortterm, as the sector's recovery could take months, if not years.

The current volcanic eruption appears to be far worse than what has happened in previous years. Several communities have had to be completely evacuated from the island entirely and are now on cruise ships waiting indefinitely to return once the volcanic activity has ceased.

But the eruption has also produced excessive amounts of ash across the entire island and as far a field as Barbados and other islands. More importantly, the ash has been so have that it has disrupted electricity supply, completely covered crops, stressed livestock, weighed down and snapped trees, and very importantly contaminated the island's water supply.

Farmers¹⁰ in St Vincent's breadbasket region are already counting thousands of dollars in losses after the decimation of their crops from the erupting La Soufriere volcano's ashfall.

Without water, livestock cannot be kept alive and crops cannot be salvaged.



The eruption of La Soufrière comes as Saint Vincent and the Grenadines is recovering from its largest COVID-19 surge amid the pandemic, and the region's worst Dengue outbreak in recent history. La Soufrière is likely continue to erupt in the coming weeks and maybe even months. The long-term effects of a protracted eruption on agriculture and tourism, which are the mainstays of the Vincentian economy and contribute about half of the Gross Domestic Product (GDP), will further exacerbate the already devastating socioeconomic impact of COVID-19. It will also reduce capacity for recovery and erode hard-earned development gains. A rapid response that effectively links immediate

⁸ United Nations. April 2021. UN Global Funding Appeal. Explosive Eruption of Soufriere Volcano: St. Vincent

⁹ Lesbian, Gay, Bi-Sexual, Trans, Queer

¹⁰ Smith, Kareem. Farmers dig out from tonnes of ash, face uncertain future. Barbados Today. April 17, 2021. <u>https://barbadostoday.</u> bb/2021/04/17/farmers-dig-out-from-tonnes-of-volcanic-ash-faceuncertain-future/

8 Livelihood Assessment and Contingency Planning



Livelihood assessment data are collected in advance about the normal emergency appeal timetable and other elements of the Livelihood of the population in an area likely to be affected by a hazard.

Livelihoods consist of the capabilities, assets (both material and social resources), and activities required for a means of living. A livelihood is sustainable when it can cope with and recover from stresses and shocks, maintain or enhance its capabilities and assets, and provide net benefits to other livelihoods locally and more widely, both now and in the future, while not undermining the natural resource base (*The Livelihood Assessment Tool-Kit*).

To plan for and evaluate the possible impact hazards may have on the livelihoods within a community, an understanding of the types of livelihoods present, the sources needed, the susceptibility of these livelihoods to hazards (natural and man-made) and the existing and required response mechanisms is needed.



Documentation of livelihood assets is very critical to any contingency planning. It is especially important to document the physical, natural and human resource assets that exist in case they are damaged or lost in any particular disaster.

Focus group participants in Rose Hall identified the main livelihood Assests needed as shown in Table 32.



Seasonal calendars indicate what type of livelihoods are taking place at any particular time of the year. This illustrates livelihood activities in a year without a hazard and the changes or coping strategies employed when there is a hazard event over the course of a year.

Seasonal Calendar shows livelihood activities in a year without a hazard and the changes or coping strategies employed when there is a hazard event over the course of a year.

As Rose Hall is primarily a farming community, most persons affected by the landslides were farmers. As a result of the landslides, crops that were in the field waiting to be harvested were then lost. Therefore, the farmers switched their production to other crops.

Activities	Skills Needed	Tools and Equipment Needed	Natural Resources
Farming: • carrots • cabbage • ginger • eddoes • plantains • yams • tomatoes • sweet peppers • cucumbers • peas • beans • Livestock	 Knowledge (moon cycle) how to operate a spray can skill workers (weeding, planting, digging, clearing of land) knowledge of types of pesticides and how to use them Knowledge of types of fertilizer and where to place it in the field Knowledge of harvesting periods Knowledge between short and long crops cycles 	 Spray Can Fertilizers chemicals Cutlass, Rakes etc. Pesticides Scoops Files All-in-one suits Hoe Scrapers Water boots 	LandSunlightRain

Table 32: Livelihood Assessment Matrix – Rose Hall Livelihood Assessment Matrix

Activities	Jan	Feb	Mar	Apr	Мау	Jun	Jul	Aug	Sep	Oct	Nov	Dec
Farming:												
Tomatoes			P ₁			H ₁			P ₂		H ₂	
Eddoes	Р					P ₁					P ₂	н
Cucumbers				P ₂	H ₁						P ₁	H ₂
Plantain	Р				P ₁							H/ P ₂
Green Peas								P ₁				H ₁
Yam	Р											H/ P ₁
Ginger									H ₁	P ₁		Р
Tania	Р											Н
Carrots			P ₁			H ₁			P ₂		H ₂	
Cabbage			P ₁			H ₁			P ₂		H ₂	

Key: H = Harvest; P = Plant; W = work; P=Plant hazard year; H = Reap hazard year.

Comments:

Crops that would have been harvested (Tomatoes, cucumbers, green peas) in December can be destroyed due to landslides. Farmers will have to shift from short crops to root crops as root crops are less prone to landslides and also provide nutrients to top soil.

9 Coping Strategies

Understanding how people cope with various hazards and disasters is critical to knowing how to plan and support them. People may have both positive and negative coping strategies. For contingency planning, it is important to find measures to support the positive coping strategies, while finding alternative measures of support to mitigate against the negative coping strategies.

Negative coping strategies for example might include selling all livelihood assets, selling livestock, using all of one's savings, taking children out of school, and so on. According to the residents of Rose Hall, the main strategies used by the residents to cope with fallout from the hazards was switching to other crops that had a shorter reaping time. They also noted that help was received from the Ministry of Agriculture, in terms of some agricultural inputs; the Red Cross in terms of food and NEMO in terms of housing material.



Coping Strategies	Positive Impact	Negative Impact
Switch to root crops	 Harvesting can be done anytime Food to eat More income (dependant on price) 	 Praedial larceny of crops (hard to tell that they were removed. Term called "scaling") Less income (dependence on price Longer harvesting time

Table 34: Coping Strategies – Rose Hall

As was noted during the focus group discussions done for the RCCVA, participants indicated the use of savings as the most typical coping strategy. Strong support from community members was also cited as a key coping strategy. The recovery process, or what people do after a hazardous event has impacted their household, seems to be based on a combination of factors: continuing with daily routines and activities, accessing assistance from the state, and using their savings or relying on their families and friends. The fact that the island is prone to the impact of multiple hazards means that recovering is made more difficult by the possibility that another hazard might impact soon after. For example, after the eruption in 1979, Hurricane Allan struck the island in 1980 and caused a lot of damage to crops that had been recently planted. Other problems, such as plant disease also impact farmers.

10 Response and Recovery Typologies

With respect to the 2021 Volcanic Eruption, the DADA reports that have been completed identify both a number of short-term and long-term types of responses that should be implemented both at community and institutional levels. These are presented here:

10.1 IMMEDIATE RESPONSE NEEDS (NEXT 3 TO 6 MONTHS)

- Protection of the public and private livelihoods assets in the red and orange zones (livestock, planting materials, tools/equipment, in-vitro facilities, etc.)
- Income support to farmers, fishers and farm workers.
- Initiative to make food readily available and accessible (to reduce food and nutrition insecurity).
- Policy on loan moratorium for farmers with financial institutions to reduce foreclosure.
- Infrastructure to support relocation of farm and farm assets.
- Identification of lands to relocate farmers (a land bank approach).
- Program to engage farmers, youth and women in initiatives at the evacuation centres.
- Procurement of planting materials, genetic stock for crop and livestock
- Clearing of rivers and streams especially in the upper watersheds in red and orange zones.
- Establishment of crop and livestock support systems.
- •

10.2 MEDIUM TO LONG TERM RECOVERY AND REHABILITATION NEEDS (NEXT 6 TO 12 MONTHS)

- A comprehensive plan for recovery and rebuilding of a modern, competitive agricultural sector
- Farm relocation
- Introduction of technology and innovation
- Incentive program to encourage young people into farming.
- Policy support for incentives, infrastructure, information and intelligence to build a modern agriculture sector.

10.3 RESPONSE FOR ADDITIONAL TYPES OF HAZARDS

In Rose Hall, while individuals employ their own responsive mechanisms/coping strategies, external interventions are usually required for the effective and efficient restoration of farming livelihoods. In the event of a land slippage, possible responses post-disaster could include the replacement of farming inputs for economic purposes.



Table 35: Rose Hall Response Typology

Type of Response Needed	Geographical Area	# of Households likely to be affected	Required quantity (US\$)	Duration	Cost (US\$)	Resp.
Replacement cost of plant material:	Rose Hall					Min. of Agri.
Carrots		60	264,000 plants @\$0.037x7	One-off	68,376	
Tomatoes		90	14,520 plants @\$0.74x6	One-off	64,469	
Cabbage		90	14,520 plants @\$0.11x3.4	One-off	5,431	
Cost of production per acre*:						Min. of Agri.
Carrots		60	7 acres (ac)@\$2,846		19,992	
Tomatoes		90	6 acres (ac)@\$4,229		25,374	
Cabbage		90	3.4 acres (ac)@\$2,617		8,898	
Rental Assistance	Rose Hall	10	222.22 per month	6 months	13,333	Min. of National Mobil.
Interim assistance benefit	Rose Hall	30	184.19 per month	9 months	49,731	Min. of National Mobil.
Basic amenities & disaster relief	Rose Hall	10	444.44	One-off	4,444	Min. of National Mobil.
Uniform assistance	Rose Hall	40	\$55.56 per student	One-off	2,222	Min. of National Mobil.
Meals & transport subsidy		40	\$66.67 per student	9 months	24,001	
Support for house repairs	Rose Hall	20	\$925.93 per structure	One-off	18,519	Min. of Housing

*Cost of production per acre includes: labour operations (clearing, digging, planting, weeding, fertilizer application, moulding and harvesting); materials (herbicide, fungicide, insecticide, fertilizer, tools, other); other costs (transportation, land lease).



ANNEX 1 - MINISTRY OF AGRICULTURE, INDUSTRY AND LABOUR COMPENSATION LIST FOR AGRICULTURAL CROPS AND LIVESTOCK (2019)

Agriculture Region and District	No. of crops	Name of cash crop	Acres	Average number of farmers per crop	Plants per acre	Expected Yield (XCD\$)	Growing Duration (months)	Value at stage in mid of hurricane season (XCD\$)	Value (XCD\$)	75% dependent on crop grown above grown (XCD\$)	55% dependent on crop grown underground	Justification
	1					CHATE	AUBELAIR*					'
REGION ONE District 1	1	Ginger	2	16	21,780	20,000	9	\$2.00 per plant	87,120		47,916	Roots and tubers are more like to be affected by flash floods as a result of run-off water from heavy rains
	2	Eddoes	1	28	11,616	11,000	6	\$2.00 per plant	23,232		12,778	
Leeward	3	Dasheen	1	6	7,260	14,000	7	\$2.00 per plant	14,520		7,986	
						FITZ	HUGHES					
District 1	1	Eddoes	2	15	11,616	11,000	6	\$2.00 per plant	46,464		25,555	
	2	Ginger	1	11	21,780	20,000	10	\$0.10per sq. ft.	4,356		2,396	
	3	Sweet Potatoes	1	14	14,520	7,000	4	\$1.00 per plant	14,520		7,986	
						ROS	E HALL					
District 1	1	Carrots	7	60	264,000	8,000	3/4	\$0.10per sq. ft.	30,492		16,771	Flash floods
	2	Tomatoes	6	90	21,780	15,000	3	\$2.00 per plant	174,240	130,680		Plant like to be damaged/ destroyed by heavy rains and high winds
	3	Cabbages	3-4	90	14,520	12,000	3	\$0.30 per plant	14,810		8,146	Flash flood, heavy rains and drought
						SPRING	G VILLAGE					
District 1	1	Eddoes	30	134	11,616	11,000	6	\$2.00 per plant	696,960		383,328	
	2	Sweet potatoes	14	103	14,520	8,000	4	\$1.00 per plant	406,560		223,608	
	3	Corn	7	93	9,680	25,000	3/4	\$2.00 per plant	67,760	50,820		Plants are likely to be damaged by high winds

*Hurricane intensifies in the latter half of the season and costs were based on this trend and period estimate for growth

Agriculture Region and District	No. of crops	Name of cash crop	Acres	Average number of farmers per crop	Plants per acre	Expected Yield (XCD\$)	Growing Duration (months)	Value at stage in mid of hurricane season (XCD\$)	Value (XCD\$)	75% dependent on crop grown above grown (XCD\$)	55% dependent on crop grown underground	Justification
						COL	ONARIE					
REGION THREE District 7	1	Plantain	4	12	1,210	30,000	11	\$12.00 per plant	58,080	43,560		Plants are likely to be damaged/ destroyed by high winds
	2	Sweet Potatoes	7	23	14,520	8,000	4	\$1.00 per plant	101,640		55,902	
Windward	3	Yams	4	7	4,840	12,000	9	\$5.00 per plant	96,800		53,240	
	4	Bananas	50	18	680	20,000	9	\$10.00 per plant	340,000	255,000		
						FÆ	NCY					
District 7	1	Sweet Potatoes	5	20	14,520	8,000	4	\$1.00 per plant	72,600		39,930	
	2	Groundnuts	3	16	87,120	3,000	4	\$0.10 per sq. ft.	13,068		7,187	
	3	Eddoes	3	15	11,616	11,000	6	\$2.00 per plant	69,696		38,333	
						PAR	K HILL					
District 7	1	Yams (Portuguese)	7	18	2,723	20,000	7	\$5.00 per hole	95,305		52,418	Extensive dry periods can result in produce smaller in size or loss of plantlets due to the heat. The method of calculation can apply for loss during a drought.
	2	Sweet Potatoes	5	17	14,520	8,000	4	\$1.00 per plant	72,600		39,930	
	3	Dasheen	2	7	7,260	14,000	7	\$2.00 per plant	29,040		15,972	
						C	AIWO					
District 8	1	Sweet Potatoes	12	33	14,520	8,000	4	\$1.00 per plant	174,240		95,832	
	2	Tannia	9	32	4,840	9,000	9	\$2.00 per plant	87,120		47,916	
	3	Eddoes	7	25	11,616	11,000	6	\$2.00 per plant	162,624		89,443	

Agriculture Region and District	No. of crops	Name of cash crop	Acres	Average number of farmers per crop	Plants per acre	Expected Yield (XCD\$)	Growing Duration (months)	Value at stage in mid of hurricane season (XCD\$)	Value (XCD\$)	75% dependent on crop grown above grown (XCD\$)	55% dependent on crop grown underground	Justification
						OVERLAND	AND MAGN	UM				
District 8	1	Sweet Potatoes	12	47	14,520	8,000	4	\$1.00 per plant	174,240		95,832	
	2	Tannia	9.5	43	4,840	9,000	9	\$2.00 per plant	91,960		50,578	
	3	Eddoes	5	29	11,616	11,000	6	\$2.00 per plant	116,160		63,888	
						SAN	DY BAY					
District 8	1	Tannia	23	73	4,840	9,000	9	\$2.00 per plant	222,640		122,452	
	2	Sweet Potatoes	22	77	14,520	8,000	4	\$1.00 per plant	319,440		175,692	
	3	Eddoes	9.3	39	11,616	11,000	6	\$2.00 per plant	216,058		118,832	
						SOUT	H RIVERS					
District 7	1	Dasheen	8	24	7,260	14,000	7	\$2.00 per plant	116,160		63,888	
	2	Sweet Potatoes	14	37	14,520	8,000	4	\$1.00 per plant	203,280		111,804	
	3	Eddoes	5	18	11,616	11,000	6	\$2.00 per plant	116,160		63,888	

Please note that agriculture regions 1 and 3 tend to be severely affected by hurricanes and other natural disasters. Both regions are in the north of the country and experience a greater intensity of wind and heavy rainfall.

Livestock	Cost per animal	Infrastructure	e cost	
Sheep	300	\$35/sq. ft.	roof \$8/sq	8800/sq. ft. fencing
Goat	300	\$35/sq.ft.	roof \$8/sq	8800/sq. ft. fencing
Pigs	450	\$35/sq.ft.	roof \$8/sq	
Cattle Female	3000			
Cattle Male	4000			
Poultry Boiler	1.25			
Poultry Layer	4.25			
Peak layers	20			
Pre Peak	10			

Annexes 67

ANNEX 2 – MINISTRY OF NATIONAL MOBILISATION - SERVICES OFFERED UNDER THE SOCIAL ASSISTANCE PROGRAMME (XCD\$)

BACKGROUND

The Ministry of National Mobilisation etc. is charged with the national portfolio of providing social protection to vulnerable households through the Public Assistance Programme guided by the Public Assistance Act. Due to societal changes during the past two (2) decades, additional types of monthly and emergency assistance were added to compliment the traditional services. The following are some of the services currently being offered under this programme:

- 1. Uniform Assistance (\$100&150/student once per year).
- 2. Rental Assistance (\$400-\$600/person per month for six months).
- 3. School fees & Exam Fees (\$200/student).
- 4. Meals & Transport Subsidy (\$180/student per month).
- 5. Basic Amenities & Disaster Relief (\$250&\$1200/person (one-off assistance).
- 6. Interim Assistance Benefit (\$500/family for nine (9) months).
- 7. Medical & Funeral (\$2000/person (one-off assistance).

ANNEX 3 MINISTRY OF AGRICULTURE, INDUSTRY AND LABOUR – COMPENSATION LIST FOR AGRICULTURAL AND FORESTRY CROPS

IELD CROPS	COSTS (XCD\$)	FIELD CROPS	COSTS (XCD\$)
Arrowroot	10 cents per sq. ft.	Grasses (cultivated)	5 cents per sq. ft.
Bananas	\$3.00 per plant up to 3 months	Ground Nuts	10 cents per sq. ft.
	\$6.00 per plant at medium stage \$10.00 per plant if bearing	Yams (Portuguese)	\$3.00 per hole when young \$5.00 per hole if matured
Plantain	\$4.00 per plant up to 3 months \$7.00 per plant at medium stage \$12.00 per plant if bearing	Dominic	\$2.00 per hole when young \$4.00 per hole if matured
MaughFaugh Baugh	\$1.00 per plant up to 3 months	Water	\$1.00 per hole when young
	\$3.00 per plant at medium stage \$6.00 per plant if bearing	White	\$3.00 per hole if matured
Grindy	\$3.00 per plant up to 3 months	Bascombe	75 cents per hole when young
	\$6.00 per plant at medium stage \$9.00 per plant if bearing	Others	\$2.00 per hole if matured
Sugar Cane	\$1.00 per hole	Sweet Potatoes	25 cents per hole when young \$1.00 per hole if matured
Cassava	30 cents per hole up to 3 months \$2.00 per plant when matured	Ochro	25 cents per hole when young \$1.00 per hole if matured
Corn	15 cents per hole up to 3 months \$2.00 per plant when matured	Ginger	10 cents per sq. ft.
Pigeon Peas	\$1.00 per hole in pure stand \$6.00 per isolated tree	Sorrel	15 cents per hole when young 25 cents per hole if matured
Cotton	60 cents per hole up to 2 months	Tobacco	50 cents per hole up to 3 months
Eddoes	\$2.00 per plant if bearing50 cents per hole up to 3 months\$2.00 per plant if matured	Pineapple	\$1.75 per hole up to 3 months \$3.50 per hole up to 3 months \$7.50 per hole up to 3
Tannia	50 cents per hole up to 3 months \$2.00 per plant if matured	Dasheen	50 cents per hole up to 3 months \$2.00 per plant if matured

GREEN VEGETABLES	COSTS (XCD\$)	GREEN VEGETABLES	COSTS (XCD\$)
Beans	10 cents per hole non flowering 25 cents per hole if bearing	Lettuce	20 cents per hole for young plants \$1.00 per plant if bearing
Beets	10 cents per hole	Pepper (Let er Sweet)	25 cents - 50 cents for young plants
Cabbage	25 cents per hole when immature \$2.00 per plant when matured	- (Hot or Sweet) Tomato	\$1.00 per plant if bearing 10 cents – 50 cents per young plant non flowering
Carrots	10 cents per sq. ft.		\$1.50 - \$2.50 per plant if bearing
Cauliflower	25 cents per plant when immature \$1.00 - \$2.00 per plant when matured	Pumpkin	10 cents -50 cents per hole when immature \$5.00 per hole if bearing
Christophene	\$1.00 per hole when immature \$5.00 per hole if bearing	Passionfruit	\$1.00 per non bearing vine \$5.00 per vine if bearing
Cucumber	10 cents per plant when immature \$2.00 per plant if bearing	Black Pepper	\$1.00 per plant not bearing \$5.00 per plant if bearing
Egg Plant	10 cents - 50 cents per plant when immature \$2.00 per plant if bearing	Pineapples	\$1.75 up to 3 months \$3.50 up to 6 months \$7.50 up to and over 12 months

FOREST CROPS (XCD\$)

SPECIES	BEARING TREES	DAMAGED OVER 10 YRS	DAMAGED OVER 5-10 YRS	DAMAGED 0-5 YRS
Mahogany	\$140.00	\$80.00	\$45.00	\$35.00
Teak	\$140.00	\$80.00	\$45.00	\$35.00
Red Cedar	\$140.00	\$80.00	\$45.00	\$35.00
White Cedar	\$140.00	\$80.00	\$45.00	\$35.00
Суре	\$140.00	\$80.00	\$45.00	\$35.00
Honduras Mahogany	\$100.00	\$60.00	\$30.00	\$20.00
W.I Mahogany	\$100.00	\$60.00	\$30.00	\$20.00
Blue Maho	\$100.00	\$60.00	\$30.00	\$20.00
Galba	\$100.00	\$60.00	\$30.00	\$20.00
Pinus Caribbean	\$100.00	\$60.00	\$30.00	\$20.00
Angeline	\$100.00	\$60.00	\$30.00	\$20.00
Bamboo	\$100.00	\$60.00	\$30.00	\$20.00

ORCHARD TREES AND PERMANENT CROPS (XCD\$)

SPECIES	BEARING TREES	DAMAGED OVER 10 YRS	DAMAGED OVER 5-10 YRS	DAMAGED 0-5 YRS
Breadfruit	\$120.00	\$60.00	\$45.00	\$45.00
Breadnut	\$90.00	\$50.00	\$30.00	\$25.00
Сосоа	\$80.00	\$60.00	\$45.00	\$35.00
Coconut	\$100.00	\$70.00	\$60.00	\$45.00
Coffee	\$45.00	\$35.00	\$30.00	\$15.00
Cashew	\$50.00	\$45.00	\$30.00	\$15.00
Custard Apple	\$15.00	\$10.00	\$8.00	\$6.00
Golden Apple	\$75.00	\$50.00	\$30.00	\$20.00
Sugar Apple	-	\$15.00	\$8.00	\$6.00
Guava	\$40.00	\$30.00	\$20.00	\$10.00
Mango (other)	\$70.00	\$45.00	\$30.00	\$15.00
Mango (grafted)	\$120.00	\$60.00	\$45.00	\$35.00
Mammie Apple	\$56.00	\$40.00	\$30.00	\$15.00
Nutmeg	\$120.00	\$90.00	\$60.00	\$35.00
Pawpaw	\$30.00	\$20.00	\$10.00	\$5.00
Plum	\$70.00	\$50.00	\$30.00	\$15.00
Plumrose	\$50.00	\$35.00	\$25.00	\$15.00
Sapodilla	\$70.00	\$50.00	\$30.00	\$15.00
Pear (Avocado)	\$90.00	\$60.00	\$45.00	\$30.00
Grapefruit	\$90.00	\$60.00	\$45.00	\$30.00
Orange	\$90.00	\$60.00	\$45.00	\$30.00
Tangerine	\$90.00	\$60.00	\$45.00	\$30.00
Ortanique	\$90.00	\$60.00	\$45.00	\$30.00
Lime	\$90.00	\$60.00	\$45.00	\$30.00
Soursop	\$50.00	\$40.00	\$30.00	\$15.00
Clove	\$70.00	\$50.00	\$40.00	\$30.00
Cinnamon	\$70.00	\$50.00	\$40.00	\$30.00
Mauby	\$50.00	\$40.00	\$30.00	\$15.00

ANNEX 4 – COST OF PRODUCTION

Source: Ministry of Agriculture, Industry and Labour, SVG.

CROP: Ginger VARIETY: Jamaican ACREAGE: One (1) Acre DATE: 7/10/2018

Kor. Oliger VARIETT. Janaican	ACITE ACE. One (I) Acie			
ITEMS	UNITS	RATE(\$)	NO,	COST(\$)
LABOUR OPERATIONS				
Land clearing (Cutlass & Clean) / spraying	M/day	40.00	12	480.00
Ranging	M/day	40.00	15	600.00
Gathering / preparation of planting material	M/day	40.00	5	200.00
Chopping holes and planting	M/day	40.00	6	240.00
Weeding manually (X 2) & Moulding(X 1)	M/day	40.00	28	1120.00
Fertilising - Band application (X 3)	M/day	40.00	4	160.00
Harvesting (pull, cut, wash, dry, bag)	M/day	40.00	30	1200.00
Heading out of field	M/day	40.00	20	800.00
Subtotal				\$ 4,800.00
MATERIALS				
Planting Materials ()	Lbs	1.50	3000	4500.0
Grammoxone & pre-emergent	Gal			205.0
Fertiliser (NPK)	Sack	65.00	12	780.0
Tools(e.g.) Spray can Fork, Hoe, Cutlass, File		665.00	1	665.0
Other(Bags)		1.00	200	200.0
Subtotal				\$ 6,350.0
OTHER COSTS				
Land charges (Lease)	Acre	500.00	1	500.0
Transportation		300.00		300.0
Supervision				
Interest on Ioans (9 - 11%)				
Depreciation on tools & equipment				
Other				
Subtotal				\$ 800.00
Total cost of production				\$ 11,950.00
Total cost per unit of output(\$/Lb)				\$ 0.6
ASSUMPTIONS				
a) Plant spacing	1 X 3 Within Row X Betw	veen Row (Ft)		
b) Plant density	14,520 plants per acre			
c) Marketable yields	20,000 Lbs			
d) Losses & main cause	Negligible.(Due nemato	de)		
e) Maturation Period	10 Months			
f) Price per unit yield - Farmgate :				

CROP: Eddoe VARIETY: Black ACREAGE: One (1) Acre DATE: 31/12/2014

ITEMS	UNITS	RATE(\$)	NO,	COST(\$)
LABOUR OPERATIONS				
Land clearingSpraying/Cleaning	M/day	40.00	2	80.00
Digging Holes	M/day	40.00	15	600.00
Gathering and preparing plant material	M/day	40.00	4	160.00
Planting (Including heading and dropping)	M/day	40.00	8	320.00
Weed control (herbicide)(X2)	M/day	40.00	3	120.00
Fertiliser application (X 2)	M/day	40.00	4	160.00
Moulding (x1)	M/day	40.00	12	480.00
Harvesting (incl. Sort & heading)	M/day	40.00	12	480.00
Heading out of field	M/day	40.00	8	320.00
Subtotal				\$ 2,720.00
MATERIALS				
Planting materials (Slips)				
Herbicide -(Grammaxone)	Gal.	136.00	2	180.00
Fertiliser (types) N.P.K.	sack	100.00	9	900.00
Tools(e.g.) Fork, Hoe, Cutlass, File, Spray can				
Other (e.g.) Boxes, bags				
Subtotal				\$ 1,080.00
OTHER COSTS				
Land charges (Lease/ Rent/ Share)	Acre			
Transportation				300.00
Supervision				
Subtotal				\$ 300.00
Total cost of production				\$ 4,100.00
Total cost per unit of output(\$/Lb)				\$ 0.37
ASSUMPTIONS				
a) Plant spacing	2 X 3 Within Row	v X Between Row (ft)		
b) Plant density	7,260 plants per a	acre (plants/acre)		
c) Marketable yields(lbs)	11,000			
d) Losses (Rejects & Spoils)	Negligible			
e) Maturation Period	6 Months			
f) Price per unit yield - Farmgate :	\$0.75/Lb			

CROP: Dasheen VARIETY: Upland ACREAGE: One (1) Acre DATE: 31/12/2014

ITEMS	UNITS	RATE(\$)	NO,	COST(\$)
LABOUR OPERATIONS				
Land clearingSpraying/Cleaning	M/day	40.00	2	80.00
Digging Holes	M/day	40.00	15	600.00
Gathering and preparing plant material	M/day	40.00	3	120.00
Planting (Including heading and dropping)	M/day	40.00	5	200.00
Weed control (herbicide)(X2)	M/day	40.00	3	120.00
Fertiliser application (X 2)	M/day	40.00	4	160.00
Moulding (x1)	M/day	40.00	12	480.00
Harvesting (incl. Sort & heading)	M/day	40.00	12	480.0
Heading out of field	M/day	40.00	8	320.0
Subtotal				\$ 2,560.0
MATERIALS				
Planting materials (Slips)				0.0
Herbicide -(Grammaxone /Touchdown)	Gal.	170. /136	2	306.0
Fertiliser (types) N.P.K.	sack	100.00	10	1,000.0
Tools(e.g.) Fork, Hoe, Cutlass, File, Spray can				
Other (e.g.) Boxes, bags				
Subtotal				\$ 1,306.0
OTHER COSTS				
Land charges (Lease/ Rent/ Share)	Acre			
Transportation				300.0
Supervision				
Subtotal				\$ 300.00
Total cost of production				\$ 4,166.0
Total cost per unit of output(\$/Lb)				\$ 0.3
ASSUMPTIONS				
a) Plant spacing	2.5 X 3 Within Ro	w X Between Row (ft)		
b) Plant density	5,800 plants per	acre (plants/acre)		
c) Marketable yields(lbs)	14,000			
d) Losses (Rejects & Spoils)	Negligible			
e) Maturation Period	8Months			
f) Price per unit yield - Farmgate :	\$.60/Lb			

ANNEX 5 – REFERENCES

Boruff, Bryan & Cutter, Susan. (2007). The Environmental Vulnerability of Caribbean Island Nations. Geographical Review. https://onlinelibrary.wiley.com/doi/abs/10.1111/j.1931-0846.2007.tb00278.x

Campbell, Donovan. 2016. Preliminary Rapid Community Climate Vulnerability Assessment (RCCVA) for the "Volcano Ready Communities in St. Vincent and the Grenadines (VRCinSVG)" Project. Community Disaster Risk Reduction Fund (CDRRF), Caribbean Development Bank (CDB). Barbados.

Caribbean Handbook on Risk Information Management (CHARIM). http://www.charim.net/stvincent/information

Community Engagement Survey (CES). September 17th – 25th, 2018. Community Disaster Risk Reduction Fund (CDRRF), Caribbean Development Bank (CDB).

Dalton, Michael, et.al. April 2021. Detailed Agriculture Damage Assessment Report. Prepared by the Damage and Loss Assessment Team (DaLAT). National Emergency Management Organisation (NEMO), Kingstown.

DeGraff, J.V., 1988. Landslide hazard on St. Vincent, West Indies Final Report. Washington, D.C., Organization of American States. 2, Cited in Westen, C.J. and Sijmons, Koert. 2016. Saint Vincent and the Grenadines: Topographic map, Caribbean Handbook on Disaster Information Management project (CHARMIN). <u>https://www.researchgate.net/publication/311311875_Saint_Vincent_and_the_Grenadines_Topographic_map/citation/download</u>

DNL Consultants. 2005. Inception Report for the Island Wide Flood Risk Assessment Study Project No. SVGDMP-CON-ICB-F-B12/03.

Economic Commission for Latin America and the Caribbean (ECLAC). 2011. St. Vincent and the Grenadines: Macro Socio-Economic Assessment of the Damage and Losses Caused by Hurricane Tomas. <u>https://info.undp.org/docs/</u>pdc/Documents/BRB/76749_LC-CAR-L%20294%20-%20SVG%20DaLA%20REPORT.pdf

Geographical Information Systems (GIS) Division. Ministry of Housing, Informal Human Settlement, Land and Surveys and Physical Planning. <u>http://www.housing.gov.vc/housing/index.php?option=com_content&view=article&id=37:geographical-information-systems-division&catid=31&Itemid=50</u>

Geographical Information Systems (GIS) Division. Ministry of Housing, Informal Human Settlement, Land and Surveys and Physical Planning. <u>http://www.housing.gov.vc/housing/index.php?option=com_content&view=article</u>&id=37:geographical-information-systems-division&catid=31&Itemid=50

Ghosh, Amit, et.al. April 26, 2021. Cropland damage assessment after the volcanic eruption of La Soufrière in Saint-Vincent Island. FAO, contact: <u>Matieu.henry@fao.org</u> and <u>Roberto.Sandoval@fao.org</u>

GIS Unit. Physical Planning Division, Ministry of Transport, Works, Lands, and Physical Planning, Kingstown. St. Vincent and the Grenadines.

Global Environmental Facility (GEF) – Integrated Watershed and Coastal Area Management Project (IWCAM) - Land and Water National Awareness Raising Proposal. No Date.

Government of SVG. 2011. Strategic Programme for Climate Resilience SAINT VINCENT AND THE GRENADINES PHASE TWO PROPOSAL Narrative. Kingstown.

Government of St. Vincent and the Grenadines. 2014. Regional Disaster Vulnerability Reduction Project (RDVRP). Social Assessment Report. Central Planning Division. Ministry of Finance, Planning and Economic Development. Kingstown. https://www.gov.vc/images/pdf_documents/rdvrp_social_assessment_april_2014.pdf

John, Lyndon. 2006. From growing ganja to planting trees: Stimulating legal livelihoods and watershed management in Saint Vincent through payments from public utilities A report on the Integrated Forest Management and Development Programme (IFMDP) and Forest User Groups of St. Vincent and the Grenadines. https://www.researchgate.net/publication/321010618_From_growing_ganja_to_planting_trees_Stimulating_legal_livelihoods_and_watershed_management_in_Saint_Vincent_through_payments_from_public_utilities_A_report_on_the_Integrated_Forest_Management_and_Dev

Joslyn, Ottis. 2008. Pilot Vulnerability and Capacity Assessment Study Final Report St. Vincent and the Grenadines. St. Vincent and the Grenadines National Trust And The Environmental Services Unit Ministry of Health and the Environment. Kingstown.

Joyette, Antonio. 2006. SVGMETS Annual Report to CMC46 Directors of Meteorology, Antigua and Barbuda.

Joyette, Antonio. (2007). An Assessment of the climate of St. Vincent and the Grenadines: Reviewing Trends in identified variables, Identifying Risks and Providing Guidance. <u>https://www.researchgate.net/</u>publication/271837547_An_Assessment_of_the_climate_of_St_Vincent_and_the_Grenadines_Reviewing_ Trends_in_identified_variables_Identifying_Risks_and_Providing_Guidance

Joyette, Antonio. (2015). The Management of Drought In St. Vincent and the Grenadines. <u>https://www.academia.</u> edu/31196414/The_Management_of_Drought_In_St_Vincent_and_the_Grenadines

Kairi Consulting. St. Vincent and the Grenadines. Country Poverty Assessment (CPA) 2007/2008. Living Conditions in a Caribbean Small Island Developing State (SIDS). Final Report. Kingstown. <u>http://stats.gov.vc/stats/wp-content/uploads/2019/03/Country-Poverty-Assessment-Report-Volume-1-2007-to-2008.pdf</u>

Kreft, Sonke, David Eckstein, Lukas Dorsch & Livia Fischer. November 2015. Briefing Paper: Global Climate Risk Index 2016. Who Suffers the Most from Extreme Weather Events. Weather-related Loss Events in 2014 and 1995 to 2014. Germanwatch. https://germanwatch.org/sites/germanwatch.org/files/publication/13503.pdf

Lyndon, J. and D. Firth (2005) 'Water, watersheds, forests and poverty reduction: a Caribbean perspective'. Paper originally presented at the Seventeenth Commonwealth Forestry Conference, Kuala Lumpur, 28th February – 5th March, 2005. The Caribbean Natural Resources Institute (CANARI), Laventille, Trinidad and Tobago and International Institute for Environment and Development, London, UK. <u>https://pubs.iied.org/sites/default/files/pdfs/migrate/G00403.pdf</u>

McIntosh, Sarah and Nicole Leotaud. 2007. Fair deals for watershed services in the Caribbean. Natural Resource Issues No. 8. International Institute for Environment and Development. London, UK. <u>https://canari.org/wp-content/uploads/2015/04/Fair-deals-for-watershed-services-in-the-Caribbean.pdf</u>

Murray, Reynold. Updated 2016. Environmental Management Framework for Regional Disaster Vulnerability Reduction Project (RDVRP). Ministry of Finance, Planning and Economic Development. Kingstown. <u>https://www.gov.vc/images/pdf_documents/emf_feb_2016_redisclosure4_final3.pdf</u>

National Emergency Management Office (NEMO). 2005. St. Vincent and the Grenadines National Disaster Plan. Kingstown. <u>http://nemo.gov.vc/nemo/images/PoliciesActsAndBills/NationalDisasterPlan.pdf</u>

Primary/Secondary School Listing. 2018. Ministry of Education. Government of St. Vincent and the Grenadines. Kingstown. <u>https://www.svgcdu.org/primary-and-secondary</u>

Protz, Maria. 2020. Detailed Rapid Community Climate Vulnerability Assessment (RCCVA) for the "Volcano Ready Communities in St. Vincent and the Grenadines (VRCinSVG)" Project. Community Disaster Risk Reduction Fund (CDRRF), Caribbean Development Bank (CDB). Barbados.

Pyle, D.M., Jenni Barclay, Maria Teresa Armijos. 2018. The 1902–3 eruptions of the Soufrière, St Vincent: Impacts, relief and response. Journal of Volcanology and Geothermal Research 356 (2018) 183–199. <u>https://www.sciencedirect.com/science/article/pii/S0377027317306613</u>

Robertson, Richard E.A. November 1994. An Assessment of the Risk from Future Eruptions of the Soufriere Volcano of St. Vincent. Natural Hazards 11: 163-191, 1995. Seismic Research Unit, University of the West Indies, St. Augustine, Trinidad.<u>https://www.researchgate.net/publication/226148597_An_assessment_of_the_risk_from_future_eruptions_of_the_Soufriere_volcano_of_St_Vincent_West_Indies/link/5761e34d08ae5c6f86da81d4/download</u>

Robertson, Richard. (2012). Land Degradation Assessment of St. Vincent, W.I.. 10.13140/RG.2.2.33175.27044. https://www.researchgate.net/publication/318693005_Land_Degradation_Assessment_of_St_Vincent_WI

Robertson, Richard. Proposal Document (ProDoc). Volcano Ready Communities in St. Vincent and the Grenadines. Seismic Research Centre, University of the West Indies, St. Augustine, Trinidad and Tobago.

Robertson, R.E.A. (2003). The Volcanic Geology of the Pre Soufrière rocks of St Vincent, West Indies. PhD, Department of Geography and Geology, University of the West Indies, Mona.Sam's Taxi Tours. <u>https://samtaxitours.com/</u>

St. Vincent and the Grenadines. April 2021. Encyclopaedia Britannica. <u>https://www.britannica.com/place/Saint-Vincent-and-the-Grenadines/Government-and-society</u>

St. Vincent and the Grenadines Educational Statistical Digest: 2018-2019. Prepared by the Planning and Research Units within the Ministry of Education, National Reconciliation and Information with assistance from the Examinations and Assessment Unit, Reprographic Unit, Human Resources Department the Education Media Unit and educational institutions.Kingstown. <u>http://education.gov.vc/education/images/Stories/pdf/Education-Statistical-Digest-of-SVG-2018-19.pdf</u>

Statistical Office. 2015. National Health and Nutrition Survey. Non-Communicable Disease Risk Factor Surveillance Report for St. Vincent and the Grenadines. Economic Planning and Sustainable Development Division Ministry of Finance, Economic Planning, Sustainable Development & Information Technology, Kingstown. <u>http://stats.gov.vc/stats/wp-content/uploads/2018/10/2015-National-Health-and-Nutrition-Survey.pdf</u>

Statistical Office. 2015. Overview of the Labour Market of St. Vincent and the Grenadines: A Gender Perspective. Economic Planning and Sustainable Development Division Ministry of Finance, Economic Planning, Sustainable Development & Information Technology, Kingstown. <u>http://stats.gov.vc/stats/wp-content/uploads/2018/09/</u> <u>Overview-of-the-labour-Market-of-SVG.pdf</u> Statistical Office. Central Planning Division. Ministry of Finance, Planning and Economic Development. 2012. Population and Housing Census Report: 2012. Kingstown, St. Vincent and the Grenadine. <u>http://stats.gov.vc/stats/</u>wp-content/uploads/2018/11/Population-and-Housing-Census-Report-2012.pdf

Sword-Daniels, Victoria. STREVA Project – Strengthening Resilience in Volcanic Areas. University College, London. http://nemo.gov.vc/nemo/images/pdf/article_pdf/AshimpactsDRR.pdf

United Nations. April 2021. UN Global Funding Appeal. Explosive Eruption of Soufriere Volcano: St. Vincent and the Grenadines. United Nations – Barbados and the Eastern Caribbean. Bridgetown, Barbados.

Westen, C.J. and Sijmons, Koert. 2016. Saint Vincent and the Grenadines: Topographic map, Caribbean Handbook on Disaster Information Management project (CHARMIN). <u>https://www.researchgate.net/publication/311311875_Saint_Vincent_and_the_Grenadines_Topographic_map/citation/download</u>